

**NEW YORK STATE
MEDICAID PROGRAM**

ORDERED AMBULATORY

PROCEDURE CODES

Table of Contents

GENERAL INFORMATION	2
LABORATORY SERVICES INFORMATION	2
RADIOLOGY INFORMATION	3
MMIS MODIFIERS	5
RADIOLOGY SERVICES	6
DIAGNOSTIC RADIOLOGY (DIAGNOSTIC IMAGING)	6
DIAGNOSTIC ULTRASOUND SERVICES	19
RADIOLOGIC GUIDANCE	24
BREAST, MAMMOGRAPHY	25
BONE/JOINT STUDIES	25
RADIATION ONCOLOGY SERVICES	25
NUCLEAR MEDICINE SERVICES	31
POSITRON EMISSION TOMOGRAPHY (PET) SERVICES	38
MEDICINE SERVICES	40
IMMUNIZATIONS	40
HYDRATION, THERAPEUTIC, PROPHYLACTIC AND DIAGNOSTIC INJECTIONS AND INFUSIONS (EXCLUDES CHEMOTHERAPY)	43
MISCELLANEOUS DRUGS AND SOLUTIONS	45
CHEMOTHERAPY ADMINISTRATION	47
CHEMOTHERAPY DRUGS	48
GASTROENTEROLOGY SERVICES	51
OPHTHALMOLOGY	51
OTORHINOLARYNGOLOGIC SERVICES	53
CARDIOVASCULAR SERVICES	54
NON-INVASIVE VASCULAR DIAGNOSTIC STUDIES	57
PULMONARY SERVICES	58
ALLERGY AND CLINICAL IMMUNOLOGY SERVICES	60
NEUROLOGY AND NEUROMUSCULAR SERVICES	61
CENTRAL NERVOUS SYSTEM ASSESSMENTS/TESTS (E.G., NEURO-COGNITIVE, MENTAL STATUS, SPEECH TESTING)	63
MISCELLANEOUS ORDERED AMBULATORY SERVICES	63
REHABILITATION SERVICES	64
SPEECH LANGUAGE PATHOLOGY SERVICES	64
PHYSICAL THERAPY SERVICES/OCCUPATIONAL THERAPY SERVICES	64
USE OF THE OPERATING ROOM	64

GENERAL INFORMATION

1. **INQUIRY:** Any questions regarding this section should be directed to the New York State Department of Health (See Inquiry Section under Information For All Providers).
2. **BY REPORT:** A service that is rarely provided, unusual, variable, or new may require a special report in determining medical appropriateness of the service as indicated by "BR" in the Fee Schedule. Pertinent information should include an adequate definition or description of the nature, extent, and need for the procedure, and the time, effort, and equipment necessary to provide the service. Additional items which may be included are: Complexity of symptoms, final diagnosis, pertinent physical findings (such as size, locations, and number of lesion(s), if appropriate), diagnostic and therapeutic procedures (including major supplementary surgical procedures, if appropriate), concurrent problems, and follow-up care.

When the value of a procedure is to be determined "By Report" (BR), information concerning the nature, extent and need for the procedure or service must be furnished in addition to the time, skill and equipment necessitated. Appropriate documentation (eg, procedure descriptions, itemized invoices, etc.) should accompany all claims submitted.

Reimbursement for supplies and materials (including drugs, vaccines and immune globulins) furnished by practitioners to their patients is based on the acquisition cost to the practitioner. For all items furnished in this fashion it is expected that the practitioner will maintain auditable records of the actual itemized invoice cost represented on the invoice. New York State Medicaid does not intend to pay more than the acquisition cost, as established by invoice, to the practitioner. Regardless of whether an invoice must be submitted to Medicaid for payment, the practitioner is expected to limit his or her Medicaid claim amount to the actual invoice cost of the item provided.

Itemized invoices must document acquisition cost, the line item cost from a manufacturer or wholesaler net of any rebates, discounts or other valuable considerations.

3. **UNLISTED PROCEDURES:** The value and appropriateness of services not specifically listed in the Fee Schedule will be manually reviewed by medical professional staff. The procedure codes to be utilized when submitting claims for such services may be found in this section.
4. **FEES:** Fees in the Fee Schedule are the maximum reimbursable Medicaid fees and are available at: <http://www.emedny.org/ProviderManuals/OrderedAmbulatory/index.html>

LABORATORY SERVICES INFORMATION

To claim payment for laboratory services performed on an ordered ambulatory basis, the applicable procedure codes and fees must be identified from the Laboratory Provider Manual Fee Schedule.

RADIOLOGY INFORMATION

Fees listed in the Fee Schedule represent maximum allowances for reimbursement purposes in the Medicaid Program and include the administrative, technical and professional components of the service provided. To determine the fee applicable only to the technical and administrative component, multiply the listed dollar value by a maximum conversion factor of 60%. (See below for further reference to the administrative, technical and professional components of a radiology fee item.)

Fees listed in the Fee Schedule are to be considered as payment for the complete radiological procedure, unless otherwise indicated. In order to be paid for both the professional and the technical and administrative components of the radiology service, qualified facilities which provide radiology services on an ordered ambulatory basis must perform the professional component of radiology services and own or directly lease the equipment and must supervise and control the radiology technician who performs the radiology procedures.

Each State agency may determine, on an individual basis, fees for services or procedures not included in the Fee Schedule. Such fee determinations should be reported promptly to the Division of Health Care Financing of the State Department of Health for review by the Interdepartmental Committee on Health Economics for possible incorporation in the Radiology Fee Schedule.

TECHNICAL, ADMINISTRATIVE AND PROFESSIONAL RADIOLOGY COMPONENTS

When radiological services are rendered in hospital departments by radiologists who receive no salary/compensation from the facility for patient care and who bill separately, the charge for the professional component may not exceed 40% of the maximum fee listed in the Fee Schedule. The remaining 60% of the fee is the maximum amount applicable for the technical and administrative services provided by the hospital. No payment will be made to a qualified facility solely for the professional component.

The professional component (see modifier -26) for radiological services is intended to cover professional services, when applicable, as listed below:

1. Determination of the problem, including interviewing the patient, obtaining the history and making appropriate physical examination to determine the method of performing the radiologic procedure.
2. Study and evaluation of results obtained in diagnostic or therapeutic procedures, interpretation of radiographs or radioisotope data-estimation resultant from treatment.
3. Dictating report of examination or treatment.
4. Consultation with referring physician regarding results of diagnostic or therapeutic procedures.

The technical or administrative component (see modifier -TC) includes items such as: cost or charges for technologists, clerical staff, films, opaques, radioactive materials, chemicals, drugs or other materials, purchase, rental use or maintenance of space, equipment, telephone services or other facilities or supplies.

Certain radiological procedures require the performance of a medical or surgical procedure (eg, studies necessitating an injection of radiopaque media, fluoroscopy, consultation) which must be performed by the radiologist and is not separable into technical and professional components for billing purposes. In these instances, reimbursement for the medical or surgical procedure will be made to the physician via the appropriate procedure code listed in the Physician Fee Schedule.

GENERAL RULES

General rules which apply to all procedure codes in Radiology including sections of Diagnostic Radiology, Diagnostic Ultrasound, Radiation Oncology and Nuclear Medicine are as follows:

1. Dollar values include usual contrast media, equipment and materials. An additional charge may be warranted when special materials are provided.
2. Dollar values include consultation and a written report to the referring physician.
3. When multiple X-ray examinations are performed during the same visit, reimbursement shall be limited to the greater fee plus 60% of the lesser fee(s). When more than one part of the body is included in a single X-ray for which reimbursement is claimed, the charge shall be only for a single X-ray. When bilateral X-ray examinations are performed during the same visit, reimbursement shall be limited to 160% of the procedure value (see modifier -50). The above provisions regarding fee reductions for multiple X-rays are applicable to X-rays taken of all parts of the body.
4. When repeat X-ray examinations of the same part and for the same illness are required because of technical or professional error in the original X-rays, such repeat X-rays are not eligible for payment. (See Rule 5 below.)
5. When a repeat X-ray examination of the same part and for the same illness is required for reasons other than technical or professional error in the original X-ray, it should be identified by use of modifier -76.
6. RADIOLOGICAL SUPERVISION AND INTERPRETATION CODES: The MAXIMUM FEE is applicable when the facility incurs the costs of both the technical/administrative and professional components of the imaging procedure. (For the technical or administrative component of imaging procedures, see modifier -TC). When the procedure is performed on an ordered ambulatory basis by a non-salaried/non-compensated physician, reimbursement will be made for the technical /administrative component of the imaging procedure via the use of modifier -TC on the appropriate "radiological supervision and interpretation" code.
7. BY REPORT: A service that is rarely provided, unusual, variable, or new may require a special report in determining medical appropriateness of the service as indicated by "BR" in the Fee Schedule. Pertinent information should include an adequate definition or description of the nature, extent, and need for the procedure, and the time, effort and equipment necessary to provide the service. Additional items which may be included are: complexity of symptoms, final diagnosis, pertinent physical findings (such as size, locations, and number of lesion(s), if appropriate), diagnostic and therapeutic procedures (including major and supplementary surgical procedures, if appropriate), concurrent problems, and follow-up care.

When the value of a procedure is to be determined "By Report" (BR), information concerning the nature, extent and need for the procedure or service must be furnished in addition to the time, skill and equipment necessitated. Appropriate documentation (eg, procedure description, itemized invoices, etc.) should accompany all claims submitted.

Itemized invoices must document acquisition cost, the line item cost from a manufacturer or wholesaler net of any rebates, discounts or other valuable considerations.

8. **SEPARATE PROCEDURES**: Some of the listed procedures are commonly carried out as an integral part of a total service, and as such, do not warrant a separate identification. When, however, such a procedure is performed independently of, and is not immediately related to, other services, it may be listed as a "separate procedure." Thus, when a procedure that is ordinarily a component of a larger procedure is performed alone for a specific purpose, it may be reported as a separate procedure.

MMIS MODIFIERS

- 26 **Professional Component**: Certain procedures are a combination of a physician component and a technical component. When the physician component is reported separately, the service may be identified by adding the modifier -26 to the usual procedure number. (Reimbursement will not exceed 40% of the maximum State Medical Fee Schedule amount.)
- TC **Technical Component**: Under certain circumstances, a charge may be made for the technical component alone. Under those circumstances the technical component charge is identified by adding modifier -TC to the usual procedure number. Technical component charges are institutional charges and not billed separately by physicians. (Reimbursement will not exceed 60% of the maximum State Medical Fee Schedule amount.)
- 50 **Bilateral Procedures (X-ray)**: When bilateral X-ray examinations are performed, the service will be identified by adding the modifier -50 to the usual procedure code number. (Reimbursement will not exceed 160% of the maximum State Medical Fee Schedule amount. One claim line is to be billed representing the bilateral procedure. Amount billed should reflect total amount due.)
- 76 **Repeat X-ray Procedure**: When a repeat X-ray examination of the same part and for the same illness is required for reasons other than technical or professional error in the original X-ray, it will be identified by adding modifier -76. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- FP **Service Provided as Part of a Family Planning Program**: All Family Planning Services will be identified by adding the modifier -FP to the usual procedure code number. (Reimbursement will not exceed 100% of the maximum State Medical Fee Schedule amount.)
- 99 **Multiple Modifiers**: Under certain circumstances two or more modifiers may be necessary to completely delineate a service. In such situations modifier -99 should be added to the basic procedure, and other applicable modifiers may be listed as part of the description of the service.

RADIOLOGY SERVICES

DIAGNOSTIC RADIOLOGY (DIAGNOSTIC IMAGING)

HEAD AND NECK

- 70010 Myelography, posterior fossa; radiological supervision and interpretation
- 70015 Cisternography, positive contrast; radiological supervision and interpretation
- 70030 Radiologic examination, eye, for detection of foreign body (includes detection and localization)
- 70100 Radiologic examination, mandible; partial, less than four views
- 70110 complete, minimum of four views
- 70120 Radiologic examination, mastoids; less than three views per side
- 70130 complete, minimum of three views per side
- 70134 Radiologic examination, internal auditory meati, complete
- 70140 Radiologic examination, facial bones; less than three views
- 70150 complete, minimum of three views
- 70160 Radiologic examination, nasal bones, complete, minimum of three views
- 70170 Dacryocystography, nasolacrimal duct; radiological supervision and interpretation
- 70190 Radiologic examination; optic foramina
- 70200 orbits, complete, minimum of four views
- 70210 Radiologic examination, sinuses, paranasal; less than three views
- 70220 complete, minimum of three views
- 70240 Radiologic examination, sella turcica
- 70250 Radiologic examination, skull; less than four views
- 70260 complete, minimum of four views
- 70300 Radiologic examination, teeth; single view
- 70310 partial examination, less than full mouth
- 70320 complete, full mouth
- 70328 Radiologic examination, temporomandibular joint, open and closed mouth; unilateral
- 70330 bilateral
- 70332 Temporomandibular joint arthrography; radiological supervision and interpretation
(Do not report 70332 in conjunction with 77002)
- 70336 Magnetic resonance (eg, proton) imaging, temporomandibular joint
- 70350 Cephalogram, orthodontic
- 70355 Orthopantogram
- 70360 Radiologic examination; neck, soft tissue
- 70370 pharynx or larynx, including fluoroscopy and/or magnification technique
- 70371 Complex dynamic pharyngeal and speech evaluation by cine or video recording
- 70373 Laryngography, contrast; radiological supervision and interpretation
- 70380 Radiologic examination, salivary gland for calculus
- 70390 Sialography; radiological supervision and interpretation

Ordered Ambulatory Procedure Codes

- 70450 Computed tomography, head or brain; without contrast material
- 70460 with contrast material(s)
- 70470 without contrast material, followed by contrast material(s) and further sections

(To report 3D rendering, see 76376, 76377)
- 70480 Computed tomography, orbit, sella, or posterior fossa or outer, middle, or inner ear; without contrast material
- 70481 with contrast material(s)
- 70482 without contrast material, followed by contrast material(s) and further sections

(To report 3D rendering, see 76376, 76377)
- 70486 Computed tomography, maxillofacial area; without contrast material
- 70487 with contrast material(s)
- 70488 without contrast material, followed by contrast material(s) and further sections

(To report 3D rendering, see 76376, 76377)
- 70490 Computed tomography, soft tissue neck; without contrast material
- 70491 with contrast material(s)
- 70492 without contrast material, followed by contrast material(s) and further sections

(To report 3D rendering, see 76376, 76377)
(For cervical spine, see 72125, 72126)
- 70496 Computed tomographic angiography, head, with contrast material(s), including noncontrast images, if performed, and image postprocessing
- 70498 Computed tomographic angiography, neck, with contrast material(s), including noncontrast images, if performed, and image postprocessing
- 70540 Magnetic resonance (eg, proton) imaging, orbit, face, and/or neck; without contrast material(s)

(For head or neck magnetic resonance angiography studies, see 70544-70546, 70547-70549)
- 70542 with contrast material
- 70543 without contrast material(s), followed by contrast material(s) and further sequences

(Report 70540-70543 once per imaging session)
- 70544 Magnetic resonance angiography, head; without contrast material(s)
- 70545 with contrast material(s)

- 70546 without contrast material(s), followed by contrast material(s) and further sequences
- 70547 Magnetic resonance angiography, neck; without contrast material(s)
- 70548 with contrast material
- 70549 without contrast material(s), followed by contrast material(s) and further sequences
- 70551 Magnetic resonance (eg, proton) imaging, brain, (including brain stem); without contrast material
- 70552 with contrast material(s)
- 70553 without contrast material, followed by contrast material(s) and further sequences
- 70557 Magnetic resonance (eg, proton) imaging, brain, (including brain stem and skull base), during open intracranial procedure (eg, to assess for residual tumor or residual vascular malformation); without contrast material
- 70558 with contrast material(s)
- 70559 without contrast material(s), followed by contrast material(s) and further sequences

CHEST

(For fluoroscopic or ultrasonic guidance for needle placement procedures (eg, biopsy, aspiration, injection, localization device) of the thorax, see 76942, 77002)

- 71010 Radiologic examination, chest; single view, frontal
- 71015 stereo, frontal
- 71020 Radiologic examination, chest, two views, frontal and lateral;
- 71021 with apical lordotic procedure
- 71022 with oblique projections
- 71023 with fluoroscopy
- 71030 Radiologic examination, chest, complete, minimum of four views;
- 71034 with fluoroscopy

(For separate chest fluoroscopy, use 76000)

- 71035 Radiologic examination, chest, special views, (eg, lateral decubitus, Bucky studies)
- 71040 Bronchography, unilateral, radiological supervision and interpretation
- 71060 Bronchography, bilateral, radiological supervision and interpretation
- 71100 Radiologic examination, ribs, unilateral; two views
- 71101 including posteroanterior chest, minimum of three views
- 71110 Radiologic examination, ribs, bilateral; three views
- 71111 including posteroanterior chest, minimum of four views
- 71120 Radiologic examination; sternum, minimum of two views
- 71130 sternoclavicular joint or joints, minimum of three views

- 71250 Computed tomography, thorax; without contrast material
- 71260 with contrast material(s)
- 71270 without contrast material, followed by contrast material(s) and further sections

(To report 3D rendering, see 76376, 76377)

- 71275 Computed tomographic angiography, chest (noncoronary), with contrast material(s), including noncontrast images, if performed, and image postprocessing
- 71550 Magnetic resonance (eg, proton) imaging, chest (eg, for evaluation of hilar and mediastinal lymphadenopathy); without contrast material(s)
- 71551 with contrast material(s)
- 71552 without contrast material(s), followed by contrast material(s) and further sequences

(For breast MRI, see 77058, 77059)

- 71555 Magnetic resonance angiography, chest (excluding myocardium), with or without contrast material(s)

SPINE AND PELVIS

- 72010 Radiologic examination, spine, entire, survey study, anteroposterior and lateral
- 72020 Radiologic examination, spine, single view, specify level
- 72040 Radiologic examination, spine, cervical; two or three views
- 72050 minimum of four views
- 72052 complete, including oblique and flexion and/or extension studies
- 72069 Radiologic examination, spine, thoracolumbar, standing (scoliosis)
- 72070 Radiologic examination, spine; thoracic, two views
- 72072 thoracic, three views
- 72074 thoracic, minimum of four views
- 72080 thoracolumbar, two views
- 72090 scoliosis study, including supine and erect studies
- 72100 Radiologic examination, spine, lumbosacral; two or three views
- 72110 minimum of four views
- 72114 complete, including bending views
- 72120 Radiologic examination, spine, lumbosacral, bending views only, minimum of four views
- 72125 Computed tomography, cervical spine; without contrast material
- 72126 with contrast material(s)
- 72127 without contrast material, followed by contrast material(s) and further sections
- 72128 Computed tomography, thoracic spine; without contrast material
- 72129 with contrast material(s)
- 72130 without contrast material, followed by contrast material(s) and further sections

- 72131 Computed tomography, lumbar spine; without contrast material
- 72132 with contrast material(s)
- 72133 without contrast material, followed by contrast material(s) and further sections

 (To report 3D rendering, see 76376, 76377)
- 72141 Magnetic resonance (eg, proton) imaging, spinal canal and contents, cervical; without contrast material
- 72142 with contrast material(s)

 (For cervical spinal canal imaging without contrast material followed by contrast material, use 72156)
- 72146 Magnetic resonance (eg, proton) imaging, spinal canal and contents, thoracic; without contrast material
- 72147 with contrast material(s)

 (For thoracic spinal canal imaging without contrast material followed by contrast material, use 72157)
- 72148 Magnetic resonance (eg, proton) imaging, spinal canal and contents, lumbar; without contrast material
- 72149 with contrast material(s)

 (For lumbar spinal canal imaging without contrast material followed by contrast material, use 72158)
- 72156 Magnetic resonance (eg, proton) imaging, spinal canal and contents without contrast material, followed by contrast material(s) and further sequences;
cervical
- 72157 thoracic
- 72158 lumbar
- 72159 Magnetic resonance angiography, spinal canal and contents, with or without contrast material(s)
- 72170 Radiologic examination, pelvis; one or two views
- 72190 complete, minimum of three views

 (For pelvimetry, use 74710)
- 72191 Computed tomographic angiography, pelvis, with contrast material(s), including noncontrast images, if performed, and image postprocessing

 (For CTA aorto-iliofemoral runoff, use 75635)
- 72192 Computed tomography, pelvis; without contrast material
- 72193 with contrast material(s)

- 72194 without contrast material, followed by contrast material(s) and further sections
(To report 3D rendering, see 76376, 76377)
- 72195 Magnetic resonance (eg, proton) imaging, pelvis; without contrast material(s)
- 72196 with contrast material(s)
- 72197 without contrast material(s), followed by contrast material(s) and further sequences
- 72198 Magnetic resonance angiography, pelvis, with or without contrast material(s)
- 72200 Radiologic examination, sacroiliac joints; less than three views
- 72202 three or more views
- 72220 Radiologic examination, sacrum and coccyx, minimum of two views
- 72291 Radiological supervision and interpretation, percutaneous vertebroplasty or vertebral augmentation including cavity creation, per vertebral body; under fluoroscopic guidance
- 72292 under CT guidance

UPPER EXTREMITIES

- 73000 Radiologic examination; clavicle, complete
- 73010 scapula, complete
- 73020 Radiologic examination, shoulder; one view
- 73030 complete, minimum of two views
- 73040 Radiologic examination, shoulder, arthrography, radiological supervision and interpretation
(Do not report 73040 in conjunction with 77002)
- 73050 Radiologic examination; acromioclavicular joints, bilateral, with or without weighted distraction
- 73060 humerus, minimum of two views
- 73070 Radiologic examination, elbow; two views
- 73080 complete, minimum of three views
- 73085 Radiologic examination, elbow, arthrography, radiological supervision and interpretation
(Do not report 73085 in conjunction with 77002)
- 73090 Radiologic examination; forearm, two views
- 73092 upper extremity, infant, minimum of two views
- 73100 Radiologic examination, wrist; two views
- 73110 complete, minimum of three views
- 73115 Radiologic examination, wrist, arthrography, radiological supervision and interpretation
(Do not report 73115 in conjunction with 77002)
- 73120 Radiologic examination, hand; two views
- 73130 minimum of three views

- 73140 Radiologic examination, finger(s), minimum of two views
- 73200 Computed tomography, upper extremity; without contrast material
- 73201 with contrast material(s)
- 73202 without contrast material, followed by contrast material(s) and further sections
- 73206 Computed tomographic angiography, upper extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing
- 73218 Magnetic resonance (eg, proton) imaging, upper extremity, other than joint; without contrast material(s)
- 73219 with contrast material(s)
- 73220 without contrast material(s), followed by contrast material(s) and further sequences extremity, other than joint
- 73221 Magnetic resonance (eg, proton) imaging, any joint of upper extremity; without contrast material(s)
- 73222 with contrast material(s)
- 73223 without contrast material(s), followed by contrast material(s) and further sections
- 73225 Magnetic resonance angiography, upper extremity, with or without contrast material(s)

LOWER EXTREMITIES

- 73500 Radiologic examination, hip; unilateral, one view
- 73510 complete, minimum of two views
- 73520 Radiologic examination, hips, bilateral, minimum of two views of each hip, including anteroposterior view of pelvis
- 73525 Radiologic examination, hip, arthrography, radiological supervision and interpretation
(Do not report 73525 in conjunction with 77002)
- 73540 Radiologic examination, pelvis and hips, infant or child, minimum of two views
- 73542 Radiological examination, sacroiliac joint arthrography, radiological supervision and interpretation
(Do not report 73542 in conjunction with 77002)
- 73550 Radiologic examination, femur, two views
- 73560 Radiologic examination, knee; one or two views
- 73562 three views
- 73564 complete, four or more views
- 73565 both knees, standing, anteroposterior
- 73580 Radiologic examination, knee, arthrography; radiological supervision and interpretation
(Do not report 73580 in conjunction with 77002)

- 73590 Radiologic examination; tibia and fibula, two views
- 73592 lower extremity, infant, minimum of two views
- 73600 Radiologic examination, ankle; two views
- 73610 complete, minimum of three views
- 73615 Radiologic examination, ankle, arthrography, radiological supervision and interpretation
(Do not report 73615 in conjunction with 77002)

- 73620 Radiologic examination, foot; two views
- 73630 complete, minimum of three views
- 73650 Radiologic examination; calcaneus, minimum of two views
- 73660 toe(s), minimum of two views
- 73700 Computed tomography, lower extremity; without contrast material
- 73701 with contrast material(s)
- 73702 without contrast material, followed by contrast material(s) and further sections

(To report 3D rendering, see 76376, 76377)

- 73706 Computed tomographic angiography, lower extremity, with contrast material(s), including noncontrast images, if performed, and image postprocessing

(For CTA aorto-iliofemoral runoff, use 75635)

- 73718 Magnetic resonance (eg, proton) imaging, lower extremity other than joint; without contrast material(s)
- 73719 with contrast material(s)
- 73720 without contrast material(s) followed by contrast material(s) and further sequences
- 73721 Magnetic resonance (eg, proton) imaging, any joint of lower extremity; without contrast material
- 73722 with contrast material(s)
- 73723 without contrast material(s), followed by contrast material(s) and further sequence
- 73725 Magnetic resonance angiography, lower extremity, with or without contrast material(s)

ABDOMEN

- 74000 Radiologic examination, abdomen; single anteroposterior view
- 74010 anteroposterior and additional oblique and cone views
- 74020 complete, including decubitus and/or erect views
- 74022 complete acute abdomen series, including supine, erect, and/or decubitus views, single view chest

- 74150 Computed tomography, abdomen; without contrast material
- 74160 with contrast material(s)
- 74170 without contrast material, followed by contrast material(s) and further sections

(To report 3D rendering, see 76376, 76377)
- 74175 Computed tomographic angiography, abdomen, with contrast material(s), including noncontrast images, if performed, and image postprocessing

(For CTA aorto-iliofemoral runoff, use 75635)
- 74181 Magnetic resonance (eg, proton) imaging, abdomen; without contrast material(s)
- 74182 with contrast material(s)
- 74183 without contrast material(s), followed by contrast material(s) and further sequences
- 74185 Magnetic resonance angiography, abdomen, with or without contrast material(s)
- 74190 Peritoneogram (eg, after injection of air or contrast), radiological supervision and interpretation

(For computed tomography, see 72192 or 74150)

GASTROINTESTINAL TRACT

- 74210 Radiologic examination; pharynx and/or cervical esophagus
- 74220 esophagus
- 74230 Swallowing function, with cineradiography/videoradiography
- 74235 Removal of foreign body(s), esophageal, with use of balloon catheter, radiological supervision and interpretation
- 74240 Radiologic examination, gastrointestinal tract, upper; with or without delayed films, without KUB
- 74241 with or without delayed films, with KUB
- 74245 with small intestine, includes multiple serial films
- 74246 Radiological examination, gastrointestinal tract, upper, air contrast, with specific high density barium, effervescent agent, with or without glucagon; with or without delayed films, without KUB
- 74247 with or without delayed films, with KUB
- 74249 with small intestine follow-through
- 74250 Radiologic examination, small intestine, includes multiple serial films;
- 74251 via enteroclysis tube
- 74260 Duodenography, hypotonic
- 74270 Radiologic examination, colon; barium enema, with or without KUB
- 74280 air contrast with specific high density barium, with or without glucagon
- 74283 Therapeutic enema, contrast or air, for reduction of intussusception or other intraluminal obstruction (eg, meconium ileus)

- 74290 Cholecystography, oral contrast;
- 74291 additional or repeat examination or multiple day examination
- 74305 Cholangiography and/or pancreatography; through existing catheter,
radiological supervision and interpretation
- 74320 Cholangiography, percutaneous, transhepatic, radiological supervision and
interpretation
- 74327 Postoperative biliary duct calculus removal, percutaneous via T-tube tract,
basket, or snare (eg, Burhenne technique), radiological supervision and
interpretation
- 74328 Endoscopic catheterization of the biliary ductal system, radiological supervision
and interpretation
- 74329 Endoscopic catheterization of the pancreatic ductal system, radiological
supervision and interpretation
- 74330 Combined endoscopic catheterization of the biliary and panc-reatic ductal
systems, radiological supervision and interpretation
- 74340 Introduction of long gastrointestinal tube (eg, Miller-Abbott), including multiple
fluoroscopies and films, radiological supervision and interpretation
- 74355 Percutaneous placement of enteroclysis tube, radiological supervision and
interpretation
- 74360 Intraluminal dilation of strictures and/or obstructions (eg, esophagus),
radiological supervision and interpretation
- 74363 Percutaneous transhepatic dilation of biliary duct stricture with or without
placement of stent, radiological supervision and interpretation

URINARY TRACT

- 74400 Urography (pyelography), intravenous, with or without KUB, with or without
tomography
- 74410 Urography, infusion, drip technique and/or bolus technique
- 74420 Urography, retrograde, with or without KUB
- 74425 Urography, antegrade, (pyelostogram, nephrostogram, loopogram), radiological
supervision and interpretation
- 74430 Cystography, minimum of three views, radiological supervision and
interpretation
- 74440 Vasography, vesiculography, or epididymography, radiological supervision and
interpretation
- 74445 Corpora cavernosography, radiological supervision and interpretation
- 74450 Urethrocystography, retrograde, radiological supervision and interpretation
- 74455 Urethrocystography, voiding, radiological supervision and interpretation

GYNECOLOGICAL AND OBSTETRICAL

(For abdomen and pelvis, see 72170-72190, 74000-74170)

- 74710 Pelvimetry, with or without placental localization

- 74740 Hysterosalpingography, radiological supervision and interpretation
- 74742 Transcervical catheterization of fallopian tube, radiological supervision and interpretation
- 74775 Perineogram (eg, vaginogram, for sex determination or extent of anomalies)

HEART

- 75557 Cardiac magnetic resonance imaging for morphology and function without contrast material
- 75558 with flow/velocity quantification
- 75559 with stress imaging
- 75560 with flow/velocity quantification and stress
- 75561 Cardiac magnetic resonance imaging for morphology and function without contrast material(s), followed by contrast material(s) and further sequences;
- 75562 with flow/velocity quantification
- 75563 with stress imaging
- 75564 with flow/velocity quantification and stress

(Do not report 75557-75564 in conjunction with 76376, 76377)

VASCULAR PROCEDURES

AORTA AND ARTERIES

- 75600 Aortography, thoracic, without serialography, radiological supervision and interpretation
- 75605 Aortography, thoracic, by serialography, radiological supervision and interpretation
- 75625 Aortography, abdominal, by serialography, radiological supervision and interpretation
- 75630 Aortography, abdominal plus bilateral iliofemoral lower extremity, catheter, by serialography, radiological supervision and interpretation
- 75635 Computed tomographic angiography, abdominal aorta and bilateral iliofemoral lower extremity runoff, with contrast material(s), including noncontrast images, if performed, and image postprocessing
- 75650 Angiography, cervicocerebral, catheter, including vessel origin, radiological supervision and interpretation
- 75658 Angiography, brachial, retrograde, radiological supervision and interpretation
- 75660 Angiography, external carotid, unilateral, selective, radiological supervision and interpretation
- 75662 Angiography, external carotid, bilateral, selective, radiological supervision and interpretation
- 75665 Angiography, carotid, cerebral, unilateral, radiological supervision and interpretation
- 75671 Angiography, carotid, cerebral, bilateral, radiological supervision and interpretation
- 75676 Angiography, carotid, cervical, unilateral radiological supervision and interpretation

- 75680 Angiography, carotid, cervical, bilateral radiological supervision and interpretation
- 75685 Angiography, vertebral, cervical, and/or intracranial, radiological supervision and interpretation
- 75705 Angiography, spinal, selective, radiological supervision and interpretation
- 75710 Angiography, extremity, unilateral, radiological supervision and interpretation
- 75716 Angiography, extremity, bilateral, radiological supervision and interpretation
- 75722 Angiography, renal, unilateral, selective (including flush aortogram), radiological supervision and interpretation
- 75724 Angiography, renal, bilateral, selective (including flush aortogram), radiological supervision and interpretation
- 75726 Angiography, visceral; selective or supraseductive, (with or without flush aortogram), radiological supervision and interpretation

(For selective angiography, each additional visceral vessels studied after basic examination, use 75774)
- 75731 Angiography, adrenal, unilateral, selective, radiological supervision and interpretation
- 75733 Angiography, adrenal, bilateral, selective, radiological supervision and interpretation
- 75736 Angiography, pelvic, selective or supraseductive, radiological supervision and interpretation
- 75741 Angiography, pulmonary, unilateral, selective, radiological supervision and interpretation
- 75743 Angiography, pulmonary, bilateral, selective, radiological supervision and interpretation
- 75746 Angiography, pulmonary, by nonselective catheter or venous injection, radiological supervision and interpretation
- 75756 Angiography, internal mammary, radiological supervision and interpretation
- 75774 Angiography, selective, each additional vessel studied after basic examination, radiological supervision and interpretation

(For angiography, see codes 75600-75790)
- 75790 Angiography, arteriovenous shunt (eg, dialysis patient), radiological supervision and interpretation

VEINS AND LYMPHATICS

- 75801 Lymphangiography, extremity only, unilateral, radiological supervision and interpretation
- 75803 Lymphangiography, extremity only, bilateral, radiological supervision and interpretation
- 75805 Lymphangiography, pelvic/abdominal, unilateral, radiological supervision and interpretation
- 75807 Lymphangiography, pelvic/abdominal, bilateral, radiological supervision and interpretation

- 75820 Venography, extremity, unilateral, radiological supervision and interpretation
- 75822 Venography, extremity, bilateral, radiological supervision and interpretation
- 75825 Venography, caval, inferior, with serialography, radiological supervision and interpretation
- 75827 Venography, caval, superior, with serialography, radiological supervision and interpretation
- 75831 Venography, renal, unilateral, selective, radiological supervision and interpretation
- 75833 Venography, renal, bilateral, selective, radiological supervision and interpretation
- 75840 Venography, adrenal, unilateral, selective, radiological supervision and interpretation
- 75842 Venography, adrenal, bilateral, selective, radiological supervision and interpretation
- 75860 Venography, venous sinus (eg, petrosal and inferior sagittal) or jugular, catheter, radiological supervision and interpretation
- 75870 Venography, superior sagittal sinus, radiological supervision and interpretation
- 75872 Venography, epidural, radiological supervision and interpretation
- 75880 Venography, orbital, radiological supervision and interpretation
- 75885 Percutaneous transhepatic portography with hemodynamic evaluation, radiological supervision and interpretation
- 75887 Percutaneous transhepatic portography without hemodynamic evaluation, radiological supervision and interpretation

TRANSCATHETER THERAPY AND BIOPSY

- 75894 Transcatheter therapy, embolization, any method, radiological supervision and interpretation
- 75945 Intravascular ultrasound (non-coronary vessel), radiological supervision and interpretation; initial vessel
- 75946 each additional vessel
- 75984 Change of percutaneous tube or drainage catheter with contrast monitoring (eg, genitourinary system, abscess), radiological supervision and interpretation
- 75989 Radiological guidance (ie, fluoroscopy, ultrasound, or computed tomography) for percutaneous drainage (eg, abscess, specimen collection), with placement of catheter, radiological supervision and interpretation

MISCELLANEOUS PROCEDURES

(For arthrography of shoulder, use 73040; elbow, use 73085; wrist, use 73115; hip, use 73525; knee, use 73580; ankle, use 73615)

- 76000 Fluoroscopy (separate procedure), up to one hour physician time, other than 71023 or 71034 (eg, cardiac fluoroscopy)
- 76001 Fluoroscopy, physician time more than one hour, assisting a non-radiologic physician (eg, nephrolithotomy, ERCP, bronchoscopy, transbronchial biopsy)
- 76010 Radiologic examination from nose to rectum for foreign body, single view, child

- 76080 Radiologic examination, abscess, fistula or sinus tract study, radiological supervision and interpretation
- 76100 Radiological examination, single plane body section (eg, tomography), other than with urography
- 76101 Radiologic examination, complex motion (ie, hypercycloidal) body section (eg, mastoid polytomography), other than with urography; unilateral
- 76102 bilateral
- 76120 Cineradiography/videoradiography, except where specifically included
- 76125 Cineradiography/videoradiography, to complement routine examination (List separately in addition to primary procedure)

- 76376 3D rendering with interpretation and reporting of computed tomography, magnetic resonance imaging, ultrasound, or other tomographic modality; not requiring image postprocessing on an independent workstation
(Use 76376 in conjunction with code[s] for base imaging procedure[s])
(Do not report 76376 in conjunction with 70496, 70498, 70544-70549, 71275, 71555, 72159, 72191, 72198, 73206, 73225, 73706, 73725, 74175, 74185, 75635, 76377, 78000-78999)

- 76377 requiring image postprocessing on an independent workstation
(Use 76377 in conjunction with code[s] for base imaging procedure[s])
(Do not report 76377 in conjunction with 70496, 70498, 70544-70549, 71275, 71555, 72159, 72191, 72198, 73206, 73225, 73706, 73725, 74175, 74185, 75635, 76376, 78000-78999)

- 76380 Computed tomography, limited or localized follow-up study
- 76496 Unlisted fluoroscopic procedure (eg, diagnostic, interventional)
- 76497 Unlisted computed tomography procedure (eg, diagnostic, interventional)
- 76498 Unlisted magnetic resonance procedure (eg, diagnostic, interventional)
- 76499 Unlisted diagnostic radiographic procedure

DIAGNOSTIC ULTRASOUND SERVICES

DEFINITIONS:

A-mode: Implies a one-dimensional ultrasonic measurement procedure.

M-mode: Implies a one-dimensional ultrasonic measurement procedure with movement of the trace to record amplitude and velocity of moving echo-producing structures.

B-scan: Implies a two-dimensional ultrasonic scanning procedure with a two-dimensional display.

Real-time scan: Implies a two-dimensional ultrasonic scanning procedure with display of both two-dimensional structure and motion with time.

HEAD AND NECK

(To report complete A-mode echoencephalography, use 76999)

- 76506 Echoencephalography, real time with image documentation (gray scale) (for determination of ventricular size, delineation of cerebral contents, and detection of fluid masses or other intracranial abnormalities), including A-mode encephalography as secondary component where indicated
- 76510 Ophthalmic ultrasound, diagnostic; B-scan and quantitative A-scan performed during the same patient encounter
- 76511 Ophthalmic ultrasound, diagnostic; quantitative a-scan only
- 76512 B-scan (with or without superimposed non-quantitative a-scan)
- 76513 anterior segment ultrasound, immersion (water bath) B-scan or high resolution biomicroscopy
- 76514 Corneal pachymetry, unilateral or bilateral (determination of corneal thickness)
- 76516 Ophthalmic biometry by ultrasound echography, A-scan;
- 76519 with intraocular lens power calculation
- 76529 Ophthalmic ultrasonic foreign body localization
- 76536 Ultrasound, soft tissues of head and neck (eg, thyroid, parathyroid, parotid), real time with image documentation

CHEST

(To report A-mode echography of the breast, use 76999)

- 76604 Ultrasound, chest (includes mediastinum) real time with image documentation
- 76645 Ultrasound, breast(s) (unilateral or bilateral) real time with image documentation

ABDOMEN AND RETROPERITONEUM

- 76700 Ultrasound, abdominal, real time with image documentation; complete
- 76705 limited (eg, single organ, quadrant, follow-up)
- 76770 Ultrasound, retroperitoneal (eg, renal, aorta, nodes), real time with image documentation; complete
- 76775 limited
- 76776 Ultrasound, transplanted kidney, real time and duplex doppler with image documentation
(Do not report 76776 in conjunction with 93975, 93976)

(For ultrasound of transplanted kidney without duplex doppler, use 76775)

SPINAL CANAL

- 76800 Ultrasound, spinal canal and contents

PELVIS

OBSTETRICAL

Codes 76801 and 76802 include determination of the number of gestational sacs and fetuses, gestational sac/fetal measurements appropriate for gestation (<14 weeks 0 days), survey of visible fetal and placental anatomic structure, qualitative assessment of amniotic fluid volume/gestational sac shape and examination of the maternal uterus and adnexa.

Codes 76805 and 76810 include determination of number of fetuses and amniotic/chorionic sacs, measurements appropriate for gestational age (> or = 14 weeks 0 days), survey of intracranial/spinal/abdominal anatomy, 4 chambered heart, umbilical cord insertion site, placenta location and amniotic fluid assessment and, when visible, examination of maternal adnexa.

Codes 76811 and 76812 include all elements of codes 76805 and 76810 plus detailed anatomic evaluation of the fetal brain/ventricles, face, heart/outflow tracts and chest anatomy, abdominal organ specific anatomy, number/length/architecture of limbs and detailed evaluation of the umbilical cord and placenta and other fetal anatomy as clinically indicated.

Patient record should document the results of the evaluation of each element described above or the reason for non-visualization.

Code 76815 represents a focused "quick look" exam limited to the assessment of one or more of the elements listed in code 76815.

Code 76816 describes an examination designed to reassess fetal size and interval growth or re-evaluated one or more anatomic abnormalities of a fetus previously demonstrated on ultrasound, and should be coded once regardless of the number of fetuses.

Code 76817 describes a transvaginal obstetric ultrasound performed separately or in addition to one of the transabdominal examinations described above. For the transvaginal examinations performed for non-obstetrical purposes, use code 76830.

- 76801 Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, first trimester (< 14 weeks 0 days), transabdominal approach; (complete fetal and maternal evaluation), single or first gestation
- 76802 each additional gestation
 (List separately in addition to primary procedure)
- 76805 Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation, after first trimester (> or = 14 weeks 0 days), transabdominal approach (complete fetal and maternal evaluation); single of first gestation
- 76810 each additional gestation
 (List separately in addition to primary procedure)
 (Use 76810 in conjunction with 76805)

- 76811 Ultrasound, pregnant uterus, real time with image documentation, fetal and maternal evaluation plus detailed fetal anatomic examination, transabdominal approach; single or first gestation
- 76812 each additional gestation
(List separately in addition to primary procedure)
(Use 76812 in conjunction with 76811)
- 76815 Ultrasound, pregnant uterus, real time with image documentation, limited (eg, fetal heart beat, placental location, fetal position and/or qualitative amniotic fluid volume), one or more fetuses
(Use 76815 only once per exam and not per element)
- 76816 Ultrasound, pregnant uterus, real time with image documentation, follow-up (eg, re-evaluation of fetal size by measuring standard growth parameters and amniotic fluid volume, re-evaluation of organ system(s) suspected or confirmed to be abnormal on a previous scan), transabdominal approach, per fetus
- 76817 Ultrasound, pregnant uterus, real time with image documentation, transvaginal
(If transvaginal examination is done in addition to transabdominal obstetrical ultrasound exam, use 76817 in addition to appropriate transabdominal exam code)

(For non-obstetrical transvaginal ultrasound, use 76830)
- 76818 Fetal biophysical profile; with non-stress testing
- 76819 without non-stress testing

(For amniotic fluid index without non-stress test, use 76815)
- 76825 Echocardiography, fetal, cardiovascular system, real time with image documentation (2D), with or without M-mode recording;
- 76826 follow-up or repeat study
- 76827 Doppler echocardiography, fetal, pulsed wave and/or continuous wave with spectral display; complete
- 76828 follow-up or repeat study

NON-OBSTETRICAL

- 76830 Ultrasound, transvaginal
(If transvaginal examination is done in addition to transabdominal non-obstetrical ultrasound exam, use 76830 in addition to appropriate transabdominal exam code)

(For obstetrical transvaginal ultrasound, use 76817)
- 76831 Saline infusion sonohysterography (sis), including color flow doppler, when performed
- 76856 Ultrasound, pelvic (nonobstetric), real time with image documentation; complete
- 76857 limited or follow-up (eg, for follicles)

GENITALIA

- 76870 Ultrasound, scrotum and contents
- 76872 Ultrasound, transrectal;
- 76873 prostate volume study for brachytherapy treatment planning
(separate procedure)

EXTREMITIES

- 76880 Ultrasound, extremity, nonvascular, real time with image documentation
- 76885 Ultrasound, infant hips, real time with imaging documentation; dynamic (eg, requiring physician manipulation)
- 76886 limited, static (not requiring physician manipulation)

VASCULAR STUDIES

(For vascular studies, see 93875-93981)

ULTRASONIC GUIDANCE PROCEDURES

- 76930 Ultrasonic guidance for pericardiocentesis, imaging supervision and interpretation
- 76932 Ultrasonic guidance for endomyocardial biopsy, imaging supervision and interpretation supervision and interpretation
- 76937 Ultrasonic guidance for vascular access requiring ultrasound evaluation of potential access sites, documentation of selected vessel patency, concurrent realtime ultrasound visualization of vascular needle entry, with permanent recording and reporting
(List separately in addition to primary procedure)
(Do not use 76937 in conjunction with 76942)
- 76940 Ultrasound guidance for, and monitoring of, parenchymal tissue ablation
- 76941 Ultrasonic guidance for intrauterine fetal transfusion or cordocentesis, imaging supervision and interpretation
- 76942 Ultrasonic guidance for needle placement (eg, biopsy, aspiration, injection, localization device), imaging supervision and interpretation
- 76945 Ultrasonic guidance for chorionic villus sampling, imaging supervision and interpretation
- 76946 Ultrasonic guidance for amniocentesis, imaging supervision and interpretation
- 76950 Ultrasonic guidance for placement of radiation therapy fields
- 76965 Ultrasonic guidance for interstitial radioelement application
- 76975 Gastrointestinal endoscopic ultrasound, supervision and interpretation
- 76977 Ultrasound bone density measurement and interpretation, peripheral site(s), any method

MISCELLANEOUS ULTRASONIC PROCEDURE

- 76999 UNLISTED ultrasound procedure (eg, diagnostic, interventional)

RADIOLOGIC GUIDANCE

FLUOROSCOPIC GUIDANCE

- 77001 Fluoroscopic guidance for central venous access device placement, replacement (catheter only or complete), or removal (includes fluoroscopic guidance for vascular access and catheter manipulation, any necessary contrast injections through access site or catheter with related venography radiologic supervision and interpretation, and radiographic documentation of final catheter position)
(List separately in addition to primary procedure)
(Do not use 77001 in conjunction with 77002)
- 77002 Fluoroscopic guidance for needle placement (eg, biopsy, aspiration, injection, localization device)
(77002 includes all radiographic arthrography with the exception of supervision and interpretation for ct and mr arthrography)
(Do not report 77002 in addition to 70332, 73040, 73085, 73115, 73525, 73580, 73615)
(77002 is included in the organ/anatomic specific radiological supervision and interpretation procedures 74320, 74350, 74355, 74445, 75885, 75887, 75989)
- 77003 Fluoroscopic guidance and localization of needle or catheter tip for spine or paraspinous diagnostic or therapeutic injection procedures (epidural, transforaminal epidural, subarachnoid, paravertebral facet joint, paravertebral facet joint nerve, or sacroiliac joint), including neurolytic agent destruction

COMPUTED TOMOGRAPHY GUIDANCE

- 77012 Computed tomography guidance for needle placement (eg, biopsy, aspiration, injection, localization device), radiological supervision and interpretation
- 77013 Computerized tomography guidance for, and monitoring of, parenchymal tissue ablation

MAGNETIC RESONANCE GUIDANCE

- 77021 Magnetic resonance guidance for needle placement (eg, for biopsy, needle aspiration, injection, or placement of localization device) radiological supervision and interpretation
- 77022 Magnetic resonance guidance for, and monitoring of, parenchymal tissue ablation

MISCELLANEOUS RADIOLOGIC GUIDANCE

- 77031 Stereotactic localization guidance for breast biopsy or needle placement (eg, for wire localization or for injection), each lesion, radiological supervision and interpretation
- 77032 Mammographic guidance for needle placement, breast (eg, for wire localization or for injection), each lesion, radiological supervision and interpretation

BREAST, MAMMOGRAPHY

- 77053 Mammary ductogram or galactogram, single duct, radiological supervision and interpretation
- 77054 Mammary ductogram or galactogram, multiple ducts, radiological supervision and interpretation
- 77055 Mammography; unilateral
- 77056 Mammography; bilateral
- 77057 Screening mammography, bilateral (2-view film study of each breast)
- 77058 Magnetic resonance imaging, breast, without and/or with contrast material(s); unilateral
- 77059 Magnetic resonance imaging, breast, without and/or with contrast material(s); bilateral

BONE/JOINT STUDIES

- 77072 Bone age studies
- 77073 Bone length studies (orthoroentgenogram, scanogram)
- 77074 Radiologic examination, osseous survey; limited (eg, for metastases)
- 77075 Radiologic examination, osseous survey; complete (axial and appendicular skeleton)
- 77076 Radiologic examination, osseous survey, infant
- 77077 Joint survey, single view, 2 or more joints (specify)
- 77078 Computed tomography, bone mineral density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine)
- 77079 Computed tomography, bone mineral density study, 1 or more sites; appendicular skeleton (peripheral) (eg, radius, wrist, heel)
- 77080 Dual-energy x-ray absorptiometry (dxa), bone density study, 1 or more sites; axial skeleton (eg, hips, pelvis, spine)
- 77081 Dual-energy x-ray absorptiometry (dxa), bone density study, 1 or more sites; appendicular skeleton (peripheral) (eg, radius, wrist, heel)
- 77083 Radiographic absorptiometry (eg, photodensitometry, radiogrammetry), 1 or more sites
- 77084 Magnetic resonance (eg, proton) imaging, bone marrow blood supply

RADIATION ONCOLOGY SERVICES

Listings for Radiation Oncology provide for teletherapy and brachytherapy to include initial consultation, clinical treatment planning, simulation, medical radiation physics, dosimetry, treatment devices, special services, and clinical treatment management procedures. They include normal follow-up care during course of treatment and for three months following its completion.

For treatment by injectable or ingestible isotopes, see subsection **Nuclear Medicine**.

CLINICAL TREATMENT PLANNING (EXTERNAL AND INTERNAL SOURCES)

The clinical treatment planning process is a complex service including interpretation of special testing, tumor localization, treatment volume determination, treatment time/dosage determination, choice of treatment modality, determination of number and size, of treatment ports, selection of appropriate treatment devices, and other procedures.

DEFINITIONS:

Simple - planning requiring single treatment area of interest encompassed in a single port or simple parallel opposed ports with simple or no blocking.

Intermediate - planning requiring three or more converging ports, two separate treatment areas, multiple blocks, or special time dose constraints.

Complex - planning requiring highly complex blocking, custom shielding blocks, tangential ports, special wedges or compensators, three or more separate treatment areas, rotational or special beam considerations, combination of therapeutic modalities.

77261 Therapeutic radiology treatment planning; simple
77262 intermediate
77263 complex

(Simulation may be carried out on a dedicated simulator, a radiation therapy treatment unit, or diagnostic x-ray machine.)

DEFINITIONS:

Simple - simulation of a single treatment area with either a single port or parallel opposed ports. Simple or no blocking.

Intermediate – simulation of three or more converging ports, two separate treatment areas, multiple blocks.

Complex – simulation of tangential portals, three or more treatment areas, rotation or arc therapy, complex blocking, custom shielding blocks, brachytherapy source verification, hyperthermia probe verification, any use of contrast materials.

Three-dimensional (3D) - computer-generated 3D reconstruction of tumor volume and surrounding critical normal tissue structures from direct CT scans and/or MRI data in preparation for non-coplanar or coplanar therapy. The stimulation utilizes documented 3D beam's eye view volume-dose displays of multiple or moving beams. Documentation with 3D volume reconstruction and dose distribution is required.

(Simulation may be carried out on a dedicated simulator, a radiation therapy treatment unit, or diagnostic x-ray machine.)

77280 Therapeutic radiology simulation-aided field setting; simple
77285 intermediate
77290 complex
77295 three-dimensional
77299 Unlisted procedure, therapeutic radiology clinical treatment planning

MEDICAL RADIATION PHYSICS, DOSIMETRY, TREATMENT DEVICES AND SPECIAL SERVICES

- 77300 Basic radiation dosimetry calculation, central axis depth dose calculation, TDF, NSD, gap calculation, off axis factor, tissue inhomogeneity factors, calculation of non-ionizing radiation surface and depth dose as required during course of treatment, only when prescribed by the treating physician
- 77301 Intensity modulated radiotherapy plan, including dose-volume histograms for target and critical structure partial tolerance specifications **(Report required)**
- 77305 Teletherapy, isodose plan (whether hand or computer calculated); simple (one or two parallel opposed unmodified ports directed to a single area of interest)
- 77310 intermediate (three or more treatment ports directed to a single area of interest)
- 77315 complex (mantle or inverted Y, tangential ports, the use of wedges, compensators, complex blocking, rotational beam, or special beam considerations)
- (Only one teletherapy isodose plan may be reported for a given course of therapy to a specific treatment area.)
- 77321 Special teletherapy port plan, particles, hemi-body, total body
- 77326 Brachytherapy isodose plan; simple (calculation made from single plane, one to four source/ribbon application, remote afterloading brachytherapy, 1 to 8 sources)
- (For definition of sources/ribbon, see Clinical Brachytherapy section.)
- 77327 intermediate (multiplane dosage calculations, application involving five to ten sources/ribbons, remote afterloading brachytherapy, 9 to 12 sources)
- 77328 complex (multiplane isodose plan, volume implant calculations, over ten sources/ribbons used, special spatial reconstruction, remote afterloading brachytherapy, over 12 sources)
- 77331 Special dosimetry (eg, TLD, microdosimetry) (specify), only when prescribed by the treating physician
- 77332 Treatment devices, design and construction; simple (simple block, simple bolus)
- 77333 intermediate (multiple blocks, stents, bite blocks, special bolus)
- 77334 complex (irregular blocks, special shields, compensators, wedges, molds or casts)
- 77336 Continuing medical physics consultation, including assessment of treatment parameters, quality assurance of dose delivery, and review of patient treatment documentation in support of the radiation oncologist, reported per week of therapy

STEREOTACTIC RADIATION TREATMENT DELIVERY

- 77371 Radiation treatment delivery, stereotactic radiosurgery (SRS), complete course of treatment of cranial lesion(s) consisting of 1 session; multi-source Cobalt 60 based
- 77372 linear accelerator based
(For radiation treatment management, use 77432)
- 77373 Stereotactic body radiation therapy, treatment delivery, per fraction to 1 or more lesions, including image guidance, entire course not to exceed 5 fractions
(Do not report 77373 in conjunction with 77401-77416, 77418)
(For single fraction cranial lesion[s], see 77371, 77372)

MISCELLANEOUS PROCEDURES

- 77399 Unlisted procedure, medical radiation physics, dosimetry and treatment devices, and special services

RADIATION TREATMENT DELIVERY

Radiation treatment delivery (77401-77416) recognizes the technical component and the various energy levels.

- 77401 Radiation treatment delivery, superficial and/or ortho voltage
- 77402 Radiation treatment delivery, single treatment area, single port or parallel opposed ports, simple blocks or no blocks; up to 5 MeV
 - 77403 6-10 MeV
 - 77404 11-19 MeV
 - 77406 20 MeV or greater
- 77407 Radiation treatment delivery, two separate treatment areas, three or more ports on a single treatment area, use of multiple blocks; up to 5 MeV
 - 77408 6-10 MeV
 - 77409 11-19 MeV
 - 77411 20 MeV or greater
- 77412 Radiation treatment delivery, three or more separate treatment areas, custom blocking, tangential ports, wedges, rotational beam, compensators, electron beam; up to 5 mev
 - 77413 6-10 MeV
 - 77414 11-19 MeV
 - 77416 20 MeV or greater
- 77417 Therapeutic radiology port film(s)
- 77418 Intensity modulated treatment delivery, single or multiple fields/arcs, via narrow spatially and temporally modulated beams, binary, dynamic mlc, per treatment session **(Report required)**
(For intensity modulated treatment planning, use 77301)

RADIATION TREATMENT MANAGEMENT

Radiation treatment management is reported in units of five fractions or treatment sessions, regardless of the actual time period in which the services are furnished. The services need not be furnished on consecutive days. Multiple fractions representing two or more treatment sessions furnished on the same day may be counted separately as long as there has been a distinct break in therapy sessions, and the fractions are of the character usually furnished on different days. Code 77427 is also reported if there are three or four fractions beyond a multiple of five at the end of a course of treatment; one or two fractions beyond a multiple of five at the end of a course of treatment are not reported separately.

The professional services furnished during treatment management typically consists of:

- Review of port films;
- Review of dosimetry, dose delivery; and treatment parameters;
- Review of patient treatment set-up;

Examination of patient for medical evaluation and management (eg, assessment of the patient's response to treatment, coordination of care and treatment, review of imaging and/or lab results).

- 77427 Radiation treatment management, five treatments
- 77431 Radiation therapy management with complete course of therapy consisting of one or two fractions only
(77431 is not to be used to fill in the last week of a long course of therapy)
- 77432 Stereotactic radiation treatment management of cranial lesion(s) (complete course of treatment consisting of one session)
- 77435 Stereotactic body radiation therapy, treatment management, per treatment course, to one or more lesions, including image guidance, entire course not to exceed 5 fractions
(Do not report 77435 in conjunction with 77427-77432)
- 77470 Special treatment procedure (eg, total body irradiation, hemibody irradiation, per oral, endocavitary or intra-operative cone irradiation)
(77470 assumes that the procedure is performed one or more times during the course of therapy, in addition to daily or weekly patient management)
- 77499 Unlisted procedure, therapeutic radiology clinical treatment management

HYPERTHERMIA

Hyperthermia treatments as listed in this section include external (superficial and deep), interstitial, and intracavitary. Radiation therapy when given concurrently is listed separately. Hyperthermia is used only as an adjunct to radiation therapy or chemotherapy. It may be induced by a variety of sources, (eg, microwave, ultrasound, low energy radio-frequency conduction, or by probes). The listed treatments include management during the course of therapy and follow-up care for three months after completion. Physics planning and interstitial insertion of temperature sensors, and use of external or interstitial heat generating sources are included.

The following descriptors are included in the treatment schedule:

- 77600 Hyperthermia, externally generated; superficial (ie, heating to a depth of 4 cm or less)
- 77605 deep (ie, heating to depths greater than 4 cm)
- 77610 Hyperthermia generated by interstitial probe(s); 5 or fewer interstitial applicators
- 77615 more than 5 interstitial applicators

CLINICAL INTRACAVITARY HYPERTHERMIA

- 77620 Hyperthermia generated by intracavitary probe(s)

CLINICAL BRACHYTHERAPY

Clinical brachytherapy requires the use of either natural or man-made radioelements applied into or around a treatment field of interest. The supervision of radioelements and dose interpretation are performed solely by the therapeutic radiologist. When a procedure requires the service of a surgeon, see appropriate codes from the Surgery Section Services. Services 77750-77799 include admission to the hospital and daily visits.

DEFINITIONS:

(Sources refer to intracavitary placement or permanent interstitial placement; ribbons refer to temporary interstitial placement.)

Simple - application with one to four sources/ribbons

Intermediate - application with five to ten sources/ribbons

Complex - application with greater than ten sources/ribbons

- 77750 Infusion or instillation of radioelement solution (includes three months follow-up care)
- 77761 Intracavitary radiation source application; simple
- 77762 intermediate
- 77763 complex
- 77776 Interstitial radiation source application; simple
- 77777 intermediate
- 77778 complex

- 77781 Remote afterloading high intensity brachytherapy; 1-4 source positions or catheters
- 77782 5-8 source positions or catheters
- 77783 9-12 source positions or catheters
- 77784 over 12 source positions or catheters
- 77789 Surface application of radiation source
- 77799 Unlisted procedure, clinical brachytherapy

NUCLEAR MEDICINE SERVICES

The services listed do not include the provision of radium or other radioelements. Those materials supplied by the provider should be billed separately and identified by the specific code describing the diagnostic radiopharmaceutical(s) and/or the therapeutic radiopharmaceutical(s) which are listed at the end of this section.

DIAGNOSTIC

ENDOCRINE SYSTEM

- 78000 Thyroid uptake; single determination
- 78001 multiple determinations
- 78003 stimulation, suppression or discharge (not including initial uptake studies)
- 78006 Thyroid imaging, with uptake; single determination
- 78007 multiple determinations
- 78010 Thyroid imaging; only
- 78011 with vascular flow
- 78015 Thyroid carcinoma metastases imaging; limited area (eg, neck and chest only)
- 78016 with additional studies (eg, urinary recovery)
- 78018 whole body
- 78020 Thyroid carcinoma metastases uptake
(List separately in addition to primary procedure)
(Use 78020 in conjunction with 78018 only)
- 78070 Parathyroid imaging
- 78075 Adrenal imaging, cortex and/or medulla
- 78099 UNLISTED endocrine procedure, diagnostic nuclear medicine

HEMATOPOIETIC, RETICULOENDOTHELIAL AND LYMPHATIC SYSTEM

- 78102 Bone marrow imaging; limited area
- 78103 multiple areas
- 78104 whole body
- 78110 Plasma volume, radio-pharmaceutical volume-dilution technique (separate procedure); single sampling
- 78111 multiple samplings
- 78120 Red cell volume determination (separate procedure); single sampling
- 78121 multiple samplings

- 78122 Whole blood volume determination, including separate measurement of plasma volume and red cell volume (radio-pharmaceutical volume-dilution technique)
- 78130 Red cell survival study
- 78135 Differential organ/tissue kinetics, (eg, splenic and/or hepatic sequestration)
- 78185 Spleen imaging only, with or without vascular flow
(If combined with liver study, use procedures 78215, 78216)
- 78190 Kinetics, study of platelet survival, with or without differential organ/tissue localization
- 78191 Platelet survival study
- 78195 Lymphatics and lymph nodes imaging
- 78199 UNLISTED hematopoietic, reticuloendothelial and lymphatic procedure, diagnostic nuclear medicine

GASTROINTESTINAL SYSTEM

- 78201 Liver imaging; static only
- 78202 with vascular flow
(For spleen imaging only, use 78185)
- 78205 Liver imaging (SPECT)
- 78206 with vascular flow
- 78215 Liver and spleen imaging; static only
- 78216 with vascular flow
- 78220 Liver function study with hepatobiliary agents, with serial images
- 78223 Hepatobiliary ductal system imaging, including gallbladder, with or without pharmacologic intervention, with or without quantitative measurement of gallbladder function
- 78230 Salivary gland imaging;
- 78231 with serial images
- 78232 Salivary gland function study
- 78258 Esophageal motility
- 78261 Gastric mucosa imaging
- 78262 Gastroesophageal reflux study
- 78264 Gastric emptying study
- 78270 Vitamin B-12 absorption study (eg, Schilling test); without intrinsic factor
- 78271 with intrinsic factor
- 78272 Vitamin B-12 absorption studies combined, with and without intrinsic factor
- 78278 Acute gastrointestinal blood loss imaging
- 78290 Intestine imaging (eg, ectopic gastric mucosa, Meckel's localization, volvulus)
- 78291 Peritoneal-venous shunt patency test (eg, for LeVeen, Denver shunt)
- 78299 UNLISTED gastrointestinal procedure, diagnostic nuclear medicine

MUSCULOSKELETAL SYSTEM

- 78300 Bone and/or joint imaging; limited area

- 78305 multiple areas
- 78306 whole body
- 78315 three phase study
- 78320 tomographic (SPECT)
- 78350 Bone density (bone mineral content) study; one or more sites; single photon absorptiometry
- 78351 dual photon absorptiometry, one or more sites
(For radiological bone density (photodensitometry), use 77083)
- 78399 UNLISTED musculoskeletal procedure, diagnostic nuclear medicine

CARDIOVASCULAR SYSTEM

- 78456 Acute venous thrombosis imaging, peptide
- 78457 Venous thrombosis imaging, venogram; unilateral
- 78458 bilateral
- 78460 Myocardial perfusion imaging; (planar) single study, at rest or stress (exercise and/or pharmacologic), with or without quantification
- 78461 multiple studies, (planar) at rest and/or stress (exercise and/or pharmacologic), and redistribution and/or rest injection, with or without quantification
- 78464 tomographic (spect), single study (including attenuation correction when performed), at rest or stress (exercise and/ or pharmacologic), with or without quantification
- 78465 tomographic (spect), multiple studies (including attenuation correction when performed), at rest and/or stress (exercise and/or pharmacologic) and redistribution and/or rest injection, with or without quantification
- 78466 Myocardial imaging, infarct avid, planar; qualitative or quantitative
- 78468 with ejection fraction by first pass technique
- 78469 tomographic SPECT with or without quantification
- 78472 Cardiac blood pool imaging, gated equilibrium; planar, single study at rest or with stress (exercise and/or pharmlologic), wall motion study plus ejection fraction, with or without additional quantitative processing

(For assessment of right ventricular ejection fraction by first pass technique, use 78496)
- 78473 multiple studies, wall motion study plus ejection fraction, at rest and stress (exercise and/or pharmacologic), with or without additional quantification
- 78478 Myocardial perfusion study with wall motion, qualitative or quantitative study (List separately in addition to primary procedure)
(Use 78478 in conjunction with 78460, 78461, 78465, 78465)
- 78480 Myocardial perfusion study with ejection fraction (List separately in addition to primary procedure)
(Use 78480 in conjunction with 78460, 78461, 78465, 78465)

- 78481 Cardiac blood pool imaging, (planar), first pass technique; single study, at rest or with stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without quantification
- 78483 multiple studies, at rest and with stress (exercise and/or pharmacologic), wall motion study plus ejection fraction, with or without quantification
(For cerebral blood flow study, see 78615)
- 78494 Cardiac blood pool imaging, gated equilibrium, SPECT, at rest, wall motion study plus ejection fraction, with or without quantitative processing
- 78496 Cardiac blood pool imaging, gated equilibrium, single study, at rest, with right ventricular ejection fraction by first pass technique
(Use 78496 in conjunction with code 78472)
- 78499 UNLISTED cardiovascular procedure, diagnostic nuclear medicine

RESPIRATORY SYSTEM

- 78580 Pulmonary perfusion imaging; particulate
- 78584 Pulmonary perfusion, imaging, particulate, with ventilation; single breath
- 78585 rebreathing and washout, with or without single breath
- 78586 Pulmonary ventilation imaging, aerosol; single projection
- 78587 multiple projections (eg, anterior, posterior, lateral views)
- 78588 Pulmonary perfusion imaging, particulate, with ventilation imaging, aerosol, one or multiple projections
- 78591 Pulmonary ventilation imaging, gaseous, single breath, single projection
- 78593 Pulmonary ventilation imaging, gaseous, with rebreathing and washout with or without single breath; single projection
- 78594 multiple projections (eg, anterior, posterior, lateral views)
- 78596 Pulmonary quantitative differential function (ventilation/perfusion) study
- 78599 UNLISTED respiratory procedure; diagnostic nuclear medicine

NERVOUS SYSTEM

- 78600 Brain imaging, less than 4 static views;
- 78601 with vascular flow
- 78605 Brain imaging, minimum 4 static views;
- 78606 with vascular flow
- 78607 tomographic (SPECT)
- 78610 Brain imaging, vascular flow only
- 78630 Cerebrospinal fluid flow, imaging (not including introduction of material);
cisternography
- 78635 ventriculography
- 78645 shunt evaluation
- 78647 tomographic (SPECT)
- 78650 Cerebrospinal fluid leakage detection and localization
- 78660 Radio-pharmaceutical dacryocystography

78699 UNLISTED nervous system procedure, diagnostic nuclear medicine

GENITOURINARY SYSTEM

78700 Kidney imaging morphology

78701 with vascular flow

78707 with vascular flow and function, single study without pharmacological intervention

78708 single study, with pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)

78709 multiple studies, with and without pharmacological intervention (eg, angiotensin converting enzyme inhibitor and/or diuretic)

(For introduction of radioactive substance in association with renal endoscopy, see 77776-77778)

78710 tomographic (SPECT)

78725 Kidney function study, non-imaging radioisotopic study

78730 Urinary bladder residual study

(List separately in addition to primary procedure)

(Use 78730 in conjunction with 78740)

(For ultrasound imaging of the bladder only, with measurement of postvoid residual urine when performed, use 76857)

78740 Ureteral reflux study (radio-pharmaceutical voiding cystogram)

(Use 78740 in conjunction with 78730 for urinary bladder residual study)

78761 Testicular imaging with vascular flow

78799 UNLISTED genitourinary procedure, diagnostic nuclear medicine

MISCELLANEOUS PROCEDURES

(For radiophosphorus tumor identification, ocular, see 78800)

78800 Radiopharmaceutical localization of tumor or distribution of radiopharmaceutical agent(s); limited area

78801 multiple areas

78802 whole body, single day imaging

78803 tomographic (SPECT)

78804 whole body, requiring two or more days imaging

78805 Radiopharmaceutical localization of inflammatory process, limited area

78806 whole body

78807 tomographic (SPECT)

(For imaging bone infectious or inflammatory disease with a bone imaging radiopharmaceutical, see 78300, 78305, 78306)

78999 UNLISTED miscellaneous procedure, diagnostic nuclear medicine

THERAPEUTIC

- 79005 Radiopharmaceutical therapy, by oral administration
(For monoclonal antibody therapy, use 79403)
- 79101 by intravenous administration
(For radiolabeled monoclonal antibody by intravenous infusion, use 79403)
- 79200 by intracavitary administration
- 79300 by interstitial radioactive colloid administration
- 79403 radiolabeled monoclonal antibody by intravenous infusion
(Do not report 79403 in conjunction with 79101)

(For pre-treatment imaging, see 78802, 78804)
- 79440 by intra-articular administration
- 79445 by intra-arterial particulate administration
- 79999 UNLISTED radio-pharmaceutical therapeutic procedure

RADIOPHARMACEUTICAL IMAGING AGENTS

- A4641 Radiopharmaceutical, diagnostic, not otherwise classified
- A4642 Indium IN-111 satumomab pendetide, diagnostic, per study dose, up to 6 millicuries
- A9500 Technetium Tc-99m sestamibi, diagnostic, per study dose, up to 40 millicuries
- A9501** Technetium Tc-99m teboroxime, diagnostic, per study dose
- A9502 Technetium Tc-99m tetrofosmin, diagnostic, per study dose, up to 40 millicuries
- A9503 Technetium Tc-99m medronate, diagnostic, per study dose, up to 30 millicuries
- A9504 Technetium Tc-99m apcitide, diagnostic, per study dose, up to 20 millicuries
- A9505 Thallium TI-201 thallos chloride, diagnostic, per millicurie
- A9507 Indium IN-111 capromab pendetide, diagnostic, per study dose, up to 10 millicuries
- A9508 Iodine I-131 iobenguane sulfate, diagnostic, per 0.5 millicurie
- A9509** Iodine I-123 sodium iodide, diagnostic, per millicurie
- A9510 Technetium Tc-99m disofenin, diagnostic, per study dose, up to 15 millicuries
- A9512 Technetium T-99m pertechnetate, diagnostic, per millicurie
- A9516 Iodine I-123 sodium iodide, diagnostic, per 100 microcuries, up to 999 microcuries
- A9517 Iodine I-131 sodium iodide capsule(s), therapeutic, per millicurie
- A9521 Technetium T-99m exametazime, diagnostic, per study dose, up to 25 millicuries
- A9524 Iodine I-131 iodinated serum albumin, diagnostic, per 5 microcuries

Ordered Ambulatory Procedure Codes

A9526	Nitrogen N13 ammonia, diagnostic, per study dose, up to 40 millicuries
A9527	Iodine I-125, sodium iodide solution, therapeutic, per millicurie
A9528	Iodine I-131 sodium iodide capsule(s), diagnostic, per millicurie
A9529	Iodine I-131 sodium iodide solution, diagnostic, per millicurie
A9530	Iodine I-131 sodium iodide solution, therapeutic, per millicurie
A9531	Iodine I-131 sodium iodide, diagnostic, per microcurie (up to 100 microcuries)
A9532	Iodine I-125 serum albumin, diagnostic, per 5 microcuries
A9535	Methylene blue, 1 ml
A9536	Technetium Tc-99m depreotide, diagnostic, per study dose, up to 35 millicuries
A9537	Technetium Tc-99m mebrofenin, diagnostic, per study dose, up to 15 millicuries
A9538	Technetium Tc-99m pyrophosphate, diagnostic, per study dose, up to 25 millicuries
A9539	Technetium Tc-99m pentetate, diagnostic, per study dose, up to 25 millicuries
A9540	Technetium Tc-99m macroaggregated albumin, diagnostic, per study dose, up to 10 millicuries
A9541	Technetium Tc-99m sulfur colloid, diagnostic, per study dose, up to 20 millicuries
A9542	Indium IN-111 ibritumomab tiuxetan, diagnostic, per study dose, up to 5 millicuries
A9543	Yttrium Y-90 ibritumomab tiuxetan, therapeutic, per treatment dose, up to 40 millicuries
A9544	Iodine I-131 tositumomab, diagnostic, per study dose
A9545	Iodine I-131 tositumomab, therapeutic, per treatment dose
A9546	Cobalt Co-57/58, cyanocobalamin, diagnostic, per study dose, up to 1 microcurie
A9547	Indium IN-111 oxyquinoline, diagnostic, per 0.5 millicurie
A9548	Indium IN-111 pentetate, diagnostic, per 0.5 millicurie
A9550	Technetium Tc-99m sodium gluceptate, diagnostic, per study dose, up to 25 millicurie
A9551	Technetium Tc-99m succimer, diagnostic, per study dose, up to 10 millicuries
A9553	Chromium Cr-51 sodium chromate, diagnostic, per study dose, up to 250 microcuries
A9554	Iodine I-125 sodium iothalamate, diagnostic, per study dose, up to 10 microcuries
A9557	Technetium Tc-99m bismuthate, diagnostic, per study dose, up to 25 millicuries
A9558	Xenon Xe-133 gas, diagnostic, per 10 millicuries
A9559	Cobalt Co-57 cyanocobalamin, oral, diagnostic, per study dose, up to 1 microcurie

Ordered Ambulatory Procedure Codes

A9560	Technetium Tc-99m labeled red blood cells, diagnostic, per study dose, up to 30 millicuries
A9561	Technetium Tc-99m oxidronate, diagnostic, per study dose, up to 30 millicuries
A9562	Technetium Tc-99m mertiatide, diagnostic, per study dose, up to 15 millicuries
A9563	Sodium phosphate P-32, therapeutic, per millicurie
A9564	Chromic phosphate P-32 suspension, therapeutic, per millicurie
A9566	Technetium Tc-99m fanolesomab, diagnostic, per study dose, up to 25 millicuries
A9567	Technetium Tc-99m pentetate, diagnostic, aerosol, per study dose, up to 75 millicuries
A9568	Technetium Tc-99m arcitumomab, diagnosis, per study dose up to 45 millicuries
A9569	Technetium Tc-99m exametazime labeled autologous white blood cells, diagnostic, per study dose
A9570	Indium IN-111 labeled autologous white blood cells, diagnostic, per study dose
A9571	Indium IN-111 labeled autologous platelets, diagnostic, per study dose
A9572	Indium IN-111 pentetate, diagnostic, per study dose, up to 6 millicuries
A9576	Gadoteridol, (ProHance multipack), per ml
A9577	Gadobenate dimeglumine (MultiHance), per ml
A9578	Gadobenate dimeglumine (MultiHance multipack), per ml
A9600	Strontium Sr-89 chloride, therapeutic, per millicurie
A9605	Samarium Sm-153 lexidronam, therapeutic, per 50 millicuries
A9699	Radiopharmaceutical, therapeutic, not otherwise classified

POSITRON EMISSION TOMOGRAPHY (PET) SERVICES

Maximum reimbursement amounts are for the complete procedure (professional and technical/administrative components) including the tracer. To receive reimbursement for only the technical/administrative component, see modifier –TC Technical Component.

78459	Myocardial imaging, positron emission tomography (PET), metabolic evaluation
78491	Myocardial imaging, positron emission tomography (PET), perfusion; single study at rest or stress
78492	multiple studies at rest and/or stress
78608	Brain imaging, positron emission tomography (PET); metabolic evaluation
78609	perfusion evaluation
78811	Positron emission tomography (PET) imaging; limited area (eg, chest, head/neck)
78812	skull base to mid-thigh
78813	whole body

Ordered Ambulatory Procedure Codes

- 78814 Positron emission tomography (PET) with concurrently acquired computed tomography (CT) for attenuation correction and anatomical localization imaging; limited area (eg, chest, head/neck)
- 78815 skull base to mid-thigh
- 78816 whole body

MEDICINE SERVICES

IMMUNIZATIONS

Immunization procedures include the supply of material and administration.

For dates of service on or after 7/1/03 when immunization materials are supplied by the Vaccine for Children Program (VFC), bill using the procedure code that represents the immunization(s) administered and append modifier –SL State Supplied Vaccine to receive the VFC administration fee. See Modifier –SL for further information.

NOTE: The maximum fees for immunization injection codes are adjusted periodically by the State to reflect the estimated acquisition cost of the antigen. Insert actual acquisition cost per dose plus a two dollar (\$2.00) administration fee in amount charged field on claim form. For codes listed **BR** in the Fee Schedule, also attach an itemized invoice to claim form including the dose administered.

To meet the reporting requirements of immunization registries, vaccine distribution programs and reporting systems (eg, Vaccine Adverse Event Reporting System) the exact vaccine product administered needs to be reported. Multiple codes for a particular vaccine are provided in CPT when the schedule (number of doses or timing) differs for two or more products of the same vaccine type (eg, hepatitis A, Hib) or the vaccine product is available in more than one chemical formulation, dosage, or route of administration.

Reimbursement for drugs (including vaccines and immune globulins) furnished by provider to their patients is based on the acquisition cost to the provider of the drug dose administered to the patient. For all drugs furnished in this fashion it is expected that the provider will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses of the drug represented on the invoice. New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the provider. Regardless of whether an invoice must be submitted to Medicaid for payment, the provider is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

Separate codes are available for combination vaccines (eg, DTP-Hib, DtaP-Hib, HepB-Hib). It is inappropriate to code each component of a combination vaccine separately. If a specific vaccine code is not available, the unlisted procedure code should be reported, until a new code becomes available.

-SL State Supplied Vaccine: (Used to identify administration of vaccine supplied by the Vaccine for Children's Program (VFC for children under 19 years of age). When administering vaccine supplied by the state (VFC Program), you **must** append modifier –SL State Supplied Vaccine to the procedure code number representing the vaccine administered. Omission of this modifier on claims for recipients under 19 years of age will cause your claim to deny. (Reimbursement will not exceed \$17.85, the administration fee for the Vaccine for Children Program.)

IMMUNE GLOBULINS

Codes 90281-90399 identify the immune globulin product only and are reported in addition to the administration codes 90765-90768, 90772, 90774, 90775 as appropriate. Modifier 51 should not be reported with the immune globulin codes when performed with another procedure. Immune globulin products listed here include broad-spectrum and anti-infective immune globulins, antitoxins, and various isoantibodies.

- 90281 Immune globulin (Ig), human, for intramuscular use
- 90283 Immune globulin (IgIV), human, for intravenous use
- 90284** Immune globulin (SCIg), human, for use in subcutaneous infusions, 100 mg, each
- 90291 Cytomegalovirus immune globulin (CMV-IgIV), human, for intravenous use
- 90371 Hepatitis B immune globulin (HBIG), human, for intramuscular use
- 90375 Rabies immune globulin (RIg), human, for intramuscular and/or subcutaneous use
- 90376 Rabies immune globulin, heat-treated (RIg-HT), human, for intramuscular and/or subcutaneous use
- 90379 Respiratory syncytial virus immune globulin (RVS-IgIV), human, for intravenous use
- 90384 Rho(D) immune globulin (Rhlg), human, full-dose, for intramuscular use
- 90385 Rho(D) immune globulin (Rhlg), human, mini-dose, for intramuscular use
- 90386 Rho(D) immune globulin (RhlgIV), human, for intravenous use
- 90389 Tetanus immune globulin (Tig), human, for intramuscular use
- 90393 Vaccinia immune globulin, human, for intramuscular use
- 90396 Varicella-zoster immune globulin, human, for intramuscular use
- 90399 Unlisted immune globulin

VACCINES/TOXOIDS

When billing for vaccine supplied by the Vaccine for Childrens Program, append modifier –SL to the appropriate procedure code to receive the VFC administration fee.

- 90585 Bacillus Calmette-Guerin vaccine (BCG) for tuberculosis, live, for percutaneous use
- 90586 Bacillus Calmette-Guerin vaccine (BCG) for bladder cancer, live, for intravesical use
- 90632 Hepatitis A vaccine, adult dosage, for intramuscular use
- 90633 Hepatitis A vaccine, pediatric/adolescent dosage-2 dose schedule, for intramuscular use
- 90636 Hepatitis A and Hepatitis B vaccine (HepA-HepB), adult dosage, for intramuscular use
- 90645 Hemophilus influenza B vaccine (Hib), HBOC conjugate (4 dose schedule), for intramuscular use
- 90646 Hemophilus influenza B vaccine (Hib), PRP-D conjugate, for booster use only, intramuscular use
- 90647 Hemophilus influenza B vaccine (Hib), PRP-OMP conjugate (3 dose schedule), for intramuscular use

Ordered Ambulatory Procedure Codes

- 90648 Hemophilus influenza B vaccine (Hib), PRP-T conjugate (4 dose schedule), for intramuscular use
- 90649 Human papilloma virus (HPV) vaccine, Types 6, 11,16, 18 (quadrivalent) 3 dose schedule, for intramuscular use
- 90655 Influenza virus vaccine, split virus, preservative free, when administered to children 6-35 months of age, for intramuscular use
- 90656** Influenza virus vaccine, split virus, preservative free, when administered to individuals 3 years and older, for intramuscular use
- 90657 Influenza virus vaccine, split virus, when administered to children 6-35 months of age, for intramuscular use
- 90658 Influenza virus vaccine, split virus, when administered to individuals 3 years of age and older, for intramuscular use
- 90660 Influenza virus vaccine, live, for intranasal use
- 90665 Lyme disease vaccine, adult dosage, for intramuscular use
- 90669 Pneumococcal conjugate vaccine, polyvalent, when administered to children younger than 5 years, for intramuscular use
- 90675 Rabies vaccine, for intramuscular use
- 90676 Rabies vaccine, for intradermal use
- 90680 Rotavirus vaccine, pentavalent, 3 dose schedule, live, for oral use
- 90690 Typhoid vaccine, live, oral
- 90691 Typhoid vaccine, Vi capsular polysaccharide (ViCPs), for intramuscular use
- 90692 Typhoid vaccine, heat- and phenol-inactivated (H-P), for subcutaneous or intradermal use
- 90700 Diphtheria, tetanus toxoids, and acellular pertussis vaccine (DTaP), when administered to individuals younger than 7 years, for intramuscular use
- 90701 Diphtheria, tetanus toxoids and whole cell Pertussis vaccine (DTP), for intramuscular use
- 90702 Diphtheria and tetanus toxoids (DT) absorbed when administered to individuals younger than 7 years, for intramuscular use
- 90703 Tetanus toxoid absorbed, for intramuscular use
- 90704 Mumps virus vaccine, live, for subcutaneous use
- 90705 Measles virus vaccine, live, for subcutaneous use
- 90706 Rubella virus vaccine, live, for subcutaneous use
- 90707 Measles, mumps and rubella virus vaccine (MMR), live, for subcutaneous use
- 90708 Measles and Rubella virus vaccine, live, for subcutaneous use
- 90710 Measles, mumps, rubella, and varicella vaccine (MMRV), live, for subcutaneous use
- 90712 Poliovirus vaccine, (any type[s]) (OPV), live, for oral use
- 90713 Poliovirus vaccine, inactivated, (IPV), for subcutaneous or intramuscular use
- 90714 Tetanus and diphtheria toxoids (Td) absorbed, preservative free, when administered to individuals 7 years or older, for intramuscular use
- 90715 Tetanus, diphtheria toxoids and acellular pertussis vaccine (Tdap), when administered to individuals 7 years or older, for intramuscular use
- 90716 Varicella virus vaccine, live, for subcutaneous use

- 90717 Yellow fever vaccine, live, for subcutaneous use
- 90718 Tetanus and diphtheria toxoids (Td) absorbed when administered to individuals 7 years or older, for intramuscular use
- 90720 Diphtheria, tetanus toxoids, and whole cell pertussis vaccine and Hemophilus influenza B vaccine (DTP-Hib), for intramuscular use
- 90721 Diphtheria, tetanus toxoids, and acellular pertussis vaccine and Hemophilus influenza B vaccine (DtaP-Hib), for intramuscular use
- 90723 Diphtheria, tetanus toxoids, acellular pertussis vaccine, Hepatitis B, and poliovirus vaccine, inactivated (DtaP-HepB-IPV), for intramuscular use
- 90725 Cholera vaccine for injectable use
- 90732 Pneumococcal polysaccharide vaccine, 23-valent, adult or immunosuppressed patient dosage, when administered to individuals 2 years or older, for subcutaneous or intramuscular use
- 90733 Meningococcal polysaccharide vaccine (any group[s]), for subcutaneous use
- 90734 Meningococcal conjugate vaccine, serogroups A, C, Y and W-135 (Tetravalent), for intramuscular use
- 90735 Japanese encephalitis virus vaccine, for subcutaneous use
- 90736** Zoster (shingles) vaccine, live, for subcutaneous injection
- 90740 Hepatitis B vaccine, dialysis or immunosuppressed patient dosage (3 dose schedule), for intramuscular use
- 90743 Hepatitis B vaccine, adolescent (2 dose schedule), for intramuscular use
- 90744 Hepatitis B vaccine, pediatric/adolescent dosage (3 dose schedule), for intramuscular use
- 90746 adult dosage, for intramuscular use
- 90747 dialysis or immunosuppressed patient dosage (4 dose schedule), for intramuscular use
- 90748 Hepatitis B and Hemophilus influenza B vaccine (HepB –Hib), for intramuscular use
- 90749 Unlisted vaccine/toxoid

HYDRATION, THERAPEUTIC, PROPHYLACTIC AND DIAGNOSTIC INJECTIONS AND INFUSIONS (EXCLUDES CHEMOTHERAPY)

HYDRATION

- 90760 Intravenous infusion, hydration; initial, 31 minutes to 1 hour
(Do not report 90760 if performed as a concurrent infusion service)
- 90761 each additional hour,
(List separately in addition to code for primary procedure)
(Use 90761 in conjunction with 90760)
(Report 90761 for hydration infusion intervals of greater than 30 minutes beyond 1 hour increments)

THERAPEUTIC OR DIAGNOSTIC INFUSIONS (EXCLUDES CHEMOTHERAPY)

These procedures encompass prolonged intravenous injections. These codes require the presence of the physician during the infusion. These codes are not to be used for intradermal, subcutaneous or intramuscular or routine IV drug injections.

- 90765 Intravenous infusion, for therapy, prophylaxis, or diagnosis (specify substance or drug); initial, up to 1 hour
- 90766 each additional hour
(List separately in addition to primary procedure)
(Report 90766 in conjunction with 90765, 90767)
(Report 90766 for additional hour(s) of sequential infusion)
(Report 90766 for infusion intervals of greater than 30 minutes beyond 1 hour increments)
- 90767 additional sequential infusion, up to 1 hour
(List separately in addition to primary procedure)
(Report 90767 in conjunction with 90765)
- 90768 concurrent infusion
(List separately in addition to primary procedure)
(Report 90768 in conjunction with 90765, 90766, 96413, 96415, 96416, 96422, 96423)
(Report 90768 only once per encounter)
- 90769** Subcutaneous infusion for therapy or prophylaxis (specify substance or drug); initial, up to one hour, including pump set-up and establishment of subcutaneous infusion site(s)
- 90770** each additional hour
(List separately in addition to primary procedure)
(Use 90770 in conjunction with 90769)
(Use 90770 for infusion intervals of greater than 30 minutes beyond one hour increments)
- 90771** additional pump set-up with establishment of new subcutaneous infusion site(s)
(List separately in addition to primary procedure)
(Use 90771 in conjunction with 90769)

(Use 90769 and 90771 only once per encounter)

MISCELLANEOUS DRUGS AND SOLUTIONS

NOTE: The maximum fees for these drugs are adjusted periodically by the State to reflect the estimated acquisition cost. Insert actual acquisition cost per dose in amount charged field on claim form. For codes listed BR also attach itemized invoice to claim form.

Reimbursement for drugs (including vaccines and immune globulins) furnished by practitioners to their patients is based on the acquisition cost to the provider of the drug dose administered to the patient. For all drugs furnished in this fashion it is expected that the provider will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses of the drug represented on the invoice. New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the provider. Regardless of whether an invoice must be submitted to Medicaid for payment, the practitioner is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

- J0207 Amifostine, 500 mg
- J0215 Alefacept (Amevive), 0.5 mg
- J0256 Alpha 1-proteinase inhibitor-human, 10 mg
- J0456 Azithromycin, 500 mg
- J0585 Botulinum toxin type A, per unit
- J0587 Botulinum toxin type B, per 100 units
- J0640 Leucovorin calcium, 50 mg
- J0696 Ceftriaxone sodium, per 250 mg
- J0697 Sterile cefuroxime sodium, per 750 mg
- J0881 Darbepoetin alfa, 1 mcg (**non-ESRD** use)
- J0882 Darbepoetin alfa, 1 mcg (for **ESRD** on dialysis)
- J0885 Epoetin alfa, (**non-ESRD** use), 1000 units
- J1055 Medroxyprogesterone acetate for contraceptive use, 150 mg
(J1055 Should not be billed in addition to the all-inclusive clinic rate)
- J1056 Medroxyprogesterone acetate/estradiol cypionate, 5 mg/25 mg
(J1056 should not be billed in addition to the all-inclusive clinic rate)
- J1100 Dexamethasone sodium phosphate, 1 mg
- J1190 Dexrazoxane HCl, per 250 mg
- J1260 Dolasetron mesylate, 10 mg
- J1436 Etidronate disodium, per 300 mg
- J1438 Etanercept, 25 mg
(not for self-administration)
- J1440 Filgrastim (G-CSF) (Neupogen), 300 mcg
- J1441 Filgrastim (G-CSF) (Neupogen), 480 mcg
- J1450 Fluconazole, 200 mg
- J1452 Fomivirsin sodium, intraocular, 1.65 mg
- J1570 Ganciclovir sodium, 500 mg
- J1595 Glatiramer acetate, 20 mg

Ordered Ambulatory Procedure Codes

J1626 Granisetron HCl, 100 mcg
J1652 Fondaparinux sodium, 0.5 mg
J1655 Tinzaparin sodium, 1000 IU
J1740 Ibandronate sodium, 1 mg
J1745 Infliximab (Remicade), 10 mg
J1751 Iron dextran 165, 50 mg
J1752 Iron dextran 267, 50 mg
J1825 Interferon beta-1a, 33 mcg (not for self-administration)
J1830 Interferon beta-1b, 0.25 mg (not for self-administration)
J1950 Leuprolide acetate (for depot suspension), per 3.75 mg
J2353 Octreotide, depot form for intramuscular injection, 1 mg
J2355 Oprelvekin, 5 mg
J2405 Ondansetron HCl, per 1 mg
J2425 Palifermin, 50 mcg
J2430 Pamidronate disodium, per 30 mg
J2469 Palonosetron HCl (Aloxi), 25 mcg
J2504 Pegademase bovine, 25 IU
J2505 Pegfilgrastim (Neulasta), 6 mg
J2545 Pentamidine isethionate, inhalation solution, FDA-approved final product, non-compounded, administered through DME, unit dose form, per 300 mg

J2597 Desmopressin acetate, per 1 mcg
J2783 Rasburicase, 0.5 mg
J3240 Thyrotropin alpha (Thyrogen), 0.9 mg., provided in 1.1 mg vial
J3285 Treprostinil, 1 mg
J3305 Trimetrexate glucuronate, per 25 mg
J3487 Zoledronic acid (Zometa), 1 mg
J3488 Zoledronic acid (Reclast), 1 mg
J7030 Infusion, normal saline solution (or water), 1000 cc
J7040 Infusion, normal saline solution (or water), sterile (500 ml = 1 unit)
J7042 5% dextrose/normal saline (500 ml = 1 unit)
J7050 Infusion, normal saline solution (or water), 250 cc
J7060 5% dextrose/water (500 ml = 1 unit)
J7070 Infusion, D5W, 1000 cc
J7100 Infusion, Dextran 40, 500 ml
J7110 Infusion, Dextran 75, 500 ml
J7120 Ringers lactate infusion, up to 1000 cc
J7130 Hypertonic saline solution, 50 or 100 mEq, 20 cc vial
J7187 Von Willebrand Factor Complex (Humate-P) per IU VWF: RCO
J7189 Factor VIIA (antihemophilic factor, recombinant), per 1 mg
J7190 Factor VIII (antihemophilic factor (Human)), per IU
J7191 Factor VIII (antihemophilic factor (Porcine)), per IU
J7192 Factor VIII (antihemophilic factor (recombinant)), per IU
J7193 Factor IX (antihemophilic factor, purified, non-recombinant), per IU
J7194 Factor IX, complex, per IU
J7195 Factor IX (antihemophilic factor, recombinant), per IU

- J7197 Antithrombin III (Human), per IU
- J7198 Anti-inhibitor, per IU
- J7199 Hemophilia clotting factor, not otherwise classified
- J7300 Intrauterine copper contraceptive
- J7302 Levonorgestrel-releasing intrauterine contraceptive system, 52 mg
- J7306 Levonorgestrel (contraceptive) implant system, including implants and supplies
- J7307** Etonogestrel (contraceptive) implant system, including implant and supplies
- J7310 Ganciclovir, 4.5 mg, long-acting implant
(J7310 should not be billed in addition to the all-inclusive clinic rate)

- J7501 Azathioprine parenteral (eg, Imuran), 100 mg
- J7504 Lymphocyte immune globulin, anti-thymocyte globulin, parenteral, 250 mg
- J8501 Aprepitant, oral, 5 mg
- S0190 Mifepristone, oral, 200 mg
(when administered for medically necessary non-surgical abortion)

- S0191 Misoprostol, oral, 200 mg
(when administered for medically necessary non-surgical abortion)

- S9435 Medical foods for inborn errors of metabolism
(Reimbursement limited to Inborn Metabolic Disease Centers or Medical Directors of Inborn Metabolic Disease Centers)

- 90779 Unlisted therapeutic, prophylactic or diagnostic intravenous or intra-arterial injection or infusion

CHEMOTHERAPY ADMINISTRATION

Intravenous chemotherapy injections are administered by a physician, a nurse practitioner or by a qualified assistant under supervision of the physician or nurse practitioner.

- 96405 Chemotherapy administration; intralesional, up to and including 7 lesions
- 96406 intralesional, more than 7 lesions
- 96409 intravenous; push technique, single or initial substance/drug
- 96413 infusion technique, up to one hour, single or initial substance/drug
- 96415 infusion technique, each additional hour
(List separately in addition to primary procedure)
(Use 96415 in conjunction with 96413)
Report 96415 for infusion intervals of greater than 30 minutes beyond 1-hour increments)

- 96416 infusion technique, initiation of prolonged chemotherapy infusion (more than 8 hours), requiring use of a portable or implantable pump

Ordered Ambulatory Procedure Codes

- 96420 Chemotherapy administration, intra-arterial; push technique
- 96422 infusion technique, up to one hour
- 96423 infusion technique, each additional hour
(List separately in addition to primary procedure)
(Use 96423 in conjunction with 96422)
(Report 96423 for infusion intervals of greater than 30 minutes beyond 1-hour increments)
- 96425 infusion technique, initiation of prolonged infusion (more than 8 hours), requiring the use of a portable or implantable pump
- 96521 Refilling and maintenance of portable pump
- 96522 Refilling and maintenance of implantable pump or reservoir for drug delivery, systemic (eg, intravenous, intra-arterial)
(Access of pump port is included in filling of implantable pump)
- 96542 Chemotherapy injection, subarachnoid or intraventricular via subcutaneous reservoir, single or multiple agents
- 96549 Unlisted chemotherapy procedure
- J9999 Not otherwise classified, antineoplastic drugs

CHEMOTHERAPY DRUGS

(Maximum fee is for chemotherapy drug only and does not include the administration fees listed above)

NOTE: The maximum fees for these drugs are adjusted periodically by the State to reflect the current acquisition cost. Insert acquisition cost per dose in amount charged field on claim form. For codes listed BR, also attach itemized invoice to claim form.

Reimbursement for drugs furnished by providers to their patients is based on the acquisition cost to the provider of the drug dose administered to the patient. For all drugs furnished in this fashion it is expected that the provider will maintain auditable records of the actual itemized invoice cost of the drug, including the numbers of doses of the drug represented on the invoice. New York State Medicaid does not intend to pay more than the acquisition cost of the drug dosage, as established by invoice, to the provider. Regardless of whether an invoice must be submitted to Medicaid for payment, the provider is expected to limit his or her Medicaid claim amount to the actual invoice cost of the drug dosage administered.

- J0128 Abarelix, 10 mg
- J9000 Doxorubicin HCl (Adriamycin), 10 mg
- J9001 Doxorubicin HCl, all lipid formulations, 10 mg
- J9010 Alemtuzumab, 10 mg
- J9015 Aldesleukin, per single use vial
- J9017 Arsenic trioxide (Trisenox), 1 mg
- J9020 Asparaginase (Elspar) 10,000 Units
- J9025 Azacitidine, 1 mg
- J9027 Clofarabine, 1 mg
- J9031 BCG live (Intravesical), per installation
- J9035 Bevacizumab, 10 mg

Ordered Ambulatory Procedure Codes

J9040 Bleomycin sulfate (Lenoxane), 15 units
J9041 Bortezomib, 0.1 mg
J9045 Carboplatin, 50 mg
J9050 Carmustine, 100 mg
J9055 Cetuximab, 10 mg
J9060 Cisplatin (Platinol), powder or solution, per 10 mg
J9062 Cisplatin (Platinol), 50 mg
J9065 Cladribine, per 1 mg
J9070 Cyclophosphamide, 100 mg
J9080 Cyclophosphamide, 200 mg
J9090 Cyclophosphamide, 500 mg
J9091 Cyclophosphamide, 1 g
J9092 Cyclophosphamide, 2 g
J9093 Cyclophosphamide, lyophilized, 100 mg
J9094 Cyclophosphamide, lyophilized, 200 mg
J9095 Cyclophosphamide, lyophilized, 500 mg
J9096 Cyclophosphamide, lyophilized, 1 g
J9097 Cyclophosphamide, lyophilized, 2 g
J9098 Cytarabine liposome, 10 mg
J9100 Cytarabine (Cytosar-U), 100 mg
J9110 Cytarabine (Cytosar-U), 500 mg
J9120 Dactinomycin (Cosmegen), 0.5 mg
J9130 Dacarbazine, 100 mg
J9140 Dacarbazine, 200 mg
J9150 Daunorubicin HCl, 10 mg
J9151 Daunorubicin citrate, liposomal formulation, 10 mg
J9160 Denileukin diftitox, 300 mcg
J9165 Diethylstilbestrol diphosphate, 250 mg
J9170 Docetaxel, 20 mg
J9175 Elliotts' B solution, 1 ml
J9178 Epirubicin HCl, 2 mg
J9181 Etoposide, 10 mg
J9182 Etoposide, 100 mg
J9185 Fludarabine phosphate, 50 mg
J9190 Fluorouracil, 500 mg
J9200 Floxuridine (FUDR), 500 mg
J9201 Gemcitabine HCl, 200 mg
J9202 Goserelin acetate implant per 3.6 mg
J9206 Irinotecan, 20 mg
J9208 Ifosfomide, 1 g
J9209 Mesna, 200 mg
J9211 Idarubicin HCl, 5 mg
J9212 Interferon alfacon-1, recombinant, 1 mcg
J9213 Interferon, alfa-2A, recombinant, 3 million units
J9214 Interferon, alfa-2B, recombinant, 1 million units

Ordered Ambulatory Procedure Codes

J9215 Interferon, alfa-N3, (human leukocyte derived), 250,000 IU
J9216 Interferon, gamma-1B, 3 million units
J9217 Leuprolide acetate (for depot suspension), 7.5 mg
J9218 Leuprolide acetate, per 1 mg
J9219 Leuprolide acetate implant, 65 mg
J9225 Histrelin implant (Vantas), 50 mg
J9230 Mechlorethamine HCl, (Nitrogen Mustard), 10 mg
J9245 Melphalan HCl, 50 mg
J9250 Methotrexate sodium, 5 mg
J9260 Methotrexate sodium, 50 mg
J9261 Nelarabine, 50 mg
J9263 Oxaliplatin (Eloxatin), 0.5 mg
J9264 Paclitaxel protein-bound particles, 1 mg
J9265 Paclitaxel, 30 mg
J9266 Pegaspargase, per single dose vial
J9268 Pentostatin, per 10 mg
J9270 Plicamycin, 2.5 mg
J9280 Mitomycin, 5 mg
J9290 Mitomycin, 20 mg
J9291 Mitomycin, 40 mg
J9293 Mitoxantrone HCl, per 5 mg
J9300 Gemtuzumab ozogamicin, 5 mg
J9303 Panitumumab, 10 mg
J9305 Pemetrexed, 10 mg
J9310 Rituximab, 100 mg
J9320 Streptozocin, 1 g
J9340 Thiotepa, 15 mg
J9350 Topotecan, 4 mg
J9355 Trastuzumab, 10 mg
J9357 Valrubicin, intravesical, 200 mg
J9360 Vinblastine sulfate, 1 mg
J9370 Vincristine sulfate, 1 mg
J9375 Vincristine sulfate, 2 mg
J9380 Vincristine sulfate, 5 mg
J9390 Vinorelbine tartrate, per 10 mg
J9395 Fulvestrant, 25 mg
J9600 Porfimer sodium, 75 mg
J9999 Not Otherwise Classified, Antineoplastic Drugs
Q2017 Teniposide, 50 mg

GASTROENTEROLOGY SERVICES

- 91000 Esophageal intubation and collection of washings for cytology, including preparation of specimens (separate procedure)
- 91010 Esophageal motility (manometric study of the esophagus and/or gastroesophageal junction) study;
 - 91011 with mecholyl or similar stimulant
 - 91012 with acid perfusion studies
- 91020 Gastric motility (manometric) studies
- 91022 Duodenal motility (manometric) study
- 91030 Esophagus, acid perfusion (Bernstein) test for esophagitis
- 91037 Esophageal function test, gastroesophageal reflux test with nasal catheter intraluminal impedance electrode(s) placement, recording, analysis and interpretation;
 - 91038 prolonged (greater than 1 hour, up to 24 hours)
- 91040 Esophageal balloon distension provocation study
- 91065 Breath hydrogen test (eg, for detection of lactase deficiency, fructose intolerance, bacterial overgrowth, or oro-cecal gastrointestinal transit)
- 91110 Gastrointestinal track imaging, intraluminal (eg, capsule endoscopy), esophagus through ileum, with physician interpretation and report
- 91120 Rectal sensation, tone, and compliance test (ie., response to graded balloon distention)
- 91122 Anorectal manometry

OPHTHALMOLOGY

GENERAL OPHTHALMOLOGICAL SERVICES

- 92002 Ophthalmological services, medical examination and evaluation with initiation of diagnostic and treatment program; intermediate, new patient
- 92004 comprehensive, new patient, one or more visits (includes refraction)
- 92012 Ophthalmological services: medical examination and evaluation, with initiation or continuation of diagnostic and treatment program; intermediate, established patient (includes refraction)
- 92014 comprehensive, established patient, one or more visits (includes refraction)

SPECIAL OPHTHALMOLOGICAL SERVICES

- 92020 Gonioscopy (separate procedure)
- 92025 Computerized corneal topography, unilateral or bilateral, with interpretation and report (Not for use in conjunction with Lasix surgery)
(92025 is not used for manual keratometry, which is part of a single system evaluation and management or ophthalmological service)

- 92060 Sensorimotor examination with multiple measurements of ocular deviation (eg, restrictive or paretic muscle with diplopia) with interpretation and report (separate procedure)
 - 92081 Visual field examination, unilateral or bilateral, with interpretation and report; limited examination (eg, tangent screen, Autoplot, arc perimeter, or single stimulus level automated test, such as Octopus 3 or 7 equivalent)
 - 92082 intermediate examination (eg, at least 2 isopters on Goldmann perimeter, or semiquantitative, automated suprathreshold screening program, Humphrey suprathreshold automatic diagnostic test, Octopus program 33)
 - 92083 extended examination (eg, Goldmann visual fields with at least 3 isopters plotted and static determination within the central 30 degrees, or quantitative, automated threshold perimetry, Octopus program G-1, 32 or 42, Humphrey visual field analyzer full threshold programs 30-2, 24-2, or 30/60-2)
- (Gross visual field testing (eg, confrontation testing) is a part of general ophthalmological services and is not reported separately.)
- 92120 Tonography with interpretation and report, recording indentation tonometer method or perilimbal suction method
 - 92130 Tonography with water provocation
 - 92135 Scanning computerized ophthalmic diagnostic imaging, posterior segment, (eg, scanning laser) with interpretation and report, unilateral
 - 92136 Ophthalmic biometry by partial coherence interferometry with intraocular lens power calculation
 - 92140 Provocative tests for glaucoma, with interpretation and report, without tonography

OPHTHALMOSCOPY

Routine ophthalmoscopy is part of general and special ophthalmologic services whenever indicated. It is a non-itemized service and is not reported separately.

- 92225 Ophthalmoscopy, extended, with retinal drawing, (eg, for retinal detachment, melanoma), with interpretation and report; initial
- 92226 subsequent
- 92230 Fluorescein angiography with interpretation and report; (one or both eyes)
- 92235 Fluorescein angiography (includes multiframe imaging) with interpretation and report
- 92240 Indocyanine-green angiography (includes multiframe imaging) with interpretation and report
- 92250 Fundus photography with interpretation and report
- 92260 Ophthalmodynamometry

MISCELLANEOUS SPECIALIZED SERVICES

- 92265 Needle oculoelectromyography, one or more extraocular muscles, one or both eyes, with interpretation and report
- 92270 Electro-oculography with interpretation and report
- 92275 Electroretinography with interpretation and report

- 92286 Special anterior segment photography with interpretation and report; with specular endothelial microscopy and cell count
- 92287 with fluorescein angiography

OTORHINOLARYNGOLOGIC SERVICES

- 92533 Caloric vestibular test, each irrigation (binaural, bithermal stimulation constitutes four tests)
- 92541 Spontaneous nystagmus test, including gaze and fixation nystagmus, with recording
- 92542 Positional nystagmus test, minimum of 4 positions, with recording
- 92543 Caloric vestibular test, each irrigation (binaural, bithermal stimulation constitutes four tests), with recording
- 92544 Optokinetic nystagmus test, bidirectional, foveal or peripheral stimulation, with recording
- 92545 Oscillating tracking test, with recording
- 92546 Sinusoidal vertical axis rotational testing

AUDIOLOGIC FUNCTION TESTS WITH MEDICAL DIAGNOSTIC EVALUATION

- 92506 Evaluation of speech, language, voice, communication, and/ or auditory processing
- 92507 Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual
- 92551 Screening test, pure tone, air only
- 92552 Pure tone audiometry (threshold); air only
- 92553 air and bone
- 92555 Speech audiometry threshold;
- 92556 with speech recognition
- 92557 Comprehensive audiometry threshold evaluation and speech recognition (92553 and 92556 combined)
- 92561 Bekesy Audiometry; diagnostic
- 92563 Tone decay test
- 92564 Short increment sensitivity index (SISI)
- 92565 Stenger test, pure tone
- 92567 Tympanometry (impedance testing)
- 92568 Acoustic reflex testing; threshold
- 92569 decay
- 92571 Filtered speech test
- 92585 Auditory evoked potentials for evoked response audiometry and/or testing of the central nervous system; comprehensive
- 92586 limited
- 92587 Evoked otoacoustic emissions; limited (single stimulus level, either transient or distortion products)
- 92588 comprehensive or diagnostic evaluation (comparison of transient and/or distortion product otoacoustic emissions at multiple levels and frequencies)

CARDIOVASCULAR SERVICES

CARDIOGRAPHY

- 93000 Electrocardiogram, routine ECG with at least 12 leads; with interpretation and report
- 93005 tracing only, without interpretation and report
- 93012 Telephonic transmission of post-symptom electrocardiogram rhythm strip(s), 24 hour attended monitoring, per 30 day period of time; tracing only
- 93014 physician review with interpretation and report **(complete procedure)**
- 93015 Cardiovascular stress test using maximal or submaximal treadmill or bicycle exercise, continuous electrocardiographic monitoring, and/or pharmacological stress; with physician interpretation and report
- 93017 tracing only, without interpretation and report
- 93024 Ergonovine provocation test
- 93025 Microvolt T-wave alternans for assessment of ventricular arrhythmias
- 93040 Rhythm ECG, one to three leads; with interpretation and report
- 93224 Electrocardiographic monitoring for 24 hours by continuous original ECG waveform recording and storage, with visual superimposition scanning; includes recording, scanning analysis with report, physician review and interpretation
- 93225 recording (includes hook-up, recording, and disconnection)
- 93230 Electrocardiographic monitoring for 24 hours by continuous original ECG waveform recording and storage, without superimposition scanning utilizing a device capable of producing a full miniaturized printout; includes recording, microprocessor-based analysis with report, physician review and interpretation
- 93231 recording (includes hook-up, recording, and disconnection)
- 93235 Electrocardiographic monitoring for 24 hours by continuous computerized monitoring and non-continuous recording, and real-time data analysis utilizing a device capable of producing intermittent full-sized waveform tracings, possibly patient activated; includes monitoring and real time data analysis with report, physician review and interpretation
- 93236 monitoring and real-time data analysis with report
- 93268 Patient demand single or multiple event recording with presymptom memory loop, 24 hour attended monitoring, per 30 day period of time; includes transmission, physician review and interpretation **(complete procedure)**
- 93270 recording (includes hook-up, recording, and disconnection)
- 93271 monitoring, receipt of transmissions, and analysis
- 93278 Signal-averaged electrocardiography (SAECG), with or without ECG

ECHOCARDIOGRAPHY

For procedure codes 93303-93350, See Radiology Section General Instructions and General Information and Rules. When more than one of these procedures are performed during the same visit, reimbursement shall be limited to the greater fee plus 60% of the lesser fee(s).

(Echocardiography includes obtaining ultrasonic signals from the heart and great arteries, with two-dimensional image and/or Doppler ultrasonic signal documentation, and interpretation and report. When technical component is performed separately, use Modifier –TC.)

- 93303 Transthoracic echocardiography for congenital cardiac anomalies; complete
- 93304 follow-up or limited study
- 93307 Echocardiography, transthoracic, real-time with image documentation (2D) with or without M-mode recording; complete
- 93308 follow-up or limited study
- 93312 Echocardiography, transesophageal, real time with image documentation (2D) (with or without M-Mode recording); including probe placement, image acquisition, interpretation and report
- 93314 image acquisition, interpretation and report only
- 93315 Transesophageal echocardiography for congenital cardiac anomalies; including probe placement, image acquisition, interpretation and report
- 93317 image acquisition, interpretation and report only
- 93318 Echocardiography, transesophageal (TEE) for monitoring purposes, including probe placement, real time 2-dimensional image acquisition and interpretation leading to ongoing (continuous) assessment of (dynamically changing) cardiac pumping function and to therapeutic measures on an immediate time basis
- 93320 Doppler echocardiography, pulsed wave and/or continuous wave with spectral display; complete
- 93321 follow-up or limited study

(Use 93320, 93321 separately in addition to codes for echocardiographic imaging 93303, 93304, 93307, 93308, 93312, 93314, 93315, 93317, 93350)

- 93350 Echocardiography, transthoracic, real-time with image documentation (2D, with or without M-mode recording), during rest and cardiovascular stress test using treadmill, bicycle exercise and/or pharmacologically induced stress, with interpretation and report
(The appropriate stress test code from the 93015-93017 series should be reported in addition to 93350 to capture the exercise stress portion of the study.)

MISCELLANEOUS VASCULAR STUDIES

- 93561 Indicator dilution studies such as dye or thermal dilution, including arterial and/or venous catheterization; with cardiac output measurement (separate procedure)
- 93562 subsequent measurement of cardiac output

Ordered Ambulatory Procedure Codes

- 93660 Evaluation of cardiovascular function with tilt table evaluation, with continuous ECG monitoring and intermittent blood pressure monitoring, with or without pharmacological intervention

(For testing of autonomic nervous system function, see 95921-95923)

- 93701 Bioimpedance, thoracic, electrical
- 93720 Plethysmography, total body; with interpretation and report
- 93721 tracing only, without interpretation and report
- 93724 Electronic analysis of antitachycardia pacemaker system (includes electrocardiographic recording, programming of device, induction and termination of tachycardia via implanted pacemaker, and interpretation of recordings)
- 93727 Electronic analysis of implantable loop recorder (ILR) system (includes retrieval of recorded and stored ECG data, physician review and interpretation of retrieved ECG data and reprogramming)
- 93731 Electronic analysis of dual-chamber pacemaker system
(includes evaluation of programmable parameters at rest and during activity where applicable, using electrocardiographic recording and interpretation of recordings at rest and during exercise, analysis of event markers and device response); without reprogramming
- 93732 with reprogramming
- 93733 Electronic analysis of dual chamber internal pacemaker system (may include rate, pulse amplitude and duration, configuration of wave form, and/or testing of sensory function of pacemaker), telephonic analysis
- 93734 Electronic analysis of single-chamber pacemaker system
(includes evaluation of programmable parameters at rest and during activity where applicable, using electrocardiographic recording and interpretation of recordings at rest and during exercise, analysis of event markers and device response); without reprogramming
- 93735 with reprogramming
- 93736 Electronic analysis of single chamber internal pacemaker system (may include rate, pulse amplitude and duration, configuration of wave form, and/or testing of sensory function of pacemaker), telephonic analysis
- 93740 Temperature gradient studies
- 93741 Electronic analysis of pacing cardioverter-defibrillator
(includes interrogation, evaluation of pulse generator status, evaluation of programmable parameters at rest and during activity where applicable, using electrocardiographic recording and interpretation of recordings at rest and during exercise, analysis of event markers and device response); single chamber, or wearable cardioverter-defibrillator system, without reprogramming
- 93742 single chamber, or wearable cardioverter-defibrillator system, with reprogramming
- 93743 dual chamber, without reprogramming
- 93744 dual chamber, with reprogramming
- 93770 Determination of venous pressure

- 93784 Ambulatory blood pressure monitoring, utilizing a system such as magnetic tape and/or computer disk, for 24 hours or longer; including recording, scanning analysis; interpretation and report
- 93786 recording only

NON-INVASIVE VASCULAR DIAGNOSTIC STUDIES

For procedure codes 93875-93990, see Radiology Section General Instructions and General Information and Rules.

Vascular studies include patient care required to perform the studies, supervision of the studies and interpretation of study results with copies for patient records of hard copy output with analysis of all data, including bidirectional vascular flow or imaging when provided. The use of a simple hand-held or other Doppler device that does not produce hard copy output, or that produces a record that does not permit analysis of bidirectional vascular flow, is considered to be part of the physical examination of the vascular system and is not separately reported.

Duplex scan: An ultrasonic scanning procedure with display of both two-dimensional structure and motion with time and Doppler ultrasonic signal documentation with spectral analysis and/or color flow velocity mapping or imaging.

CEREBROVASCULAR ARTERIAL STUDIES

- 93875 Non-invasive physiologic studies of extracranial arteries, complete bilateral study (eg, periorbital flow direction with arterial compression, ocular pneumoplethysmography, Doppler ultrasound spectral analysis)
- 93880 Duplex scan of extracranial arteries; complete bilateral study
- 93882 unilateral or limited study
- 93886 Transcranial Doppler study of the intracranial arteries; complete study
- 93888 limited study
- 93890 vasoreactivity study
- 93892 emboli detection without intravenous microbubble injection
- 93893 emboli detection with intravenous microbubble injection

EXTREMITY ARTERIAL STUDIES (INCLUDING DIGITS)

- 93922 Non-invasive physiologic studies of upper or lower extremity arteries, single level, bilateral (eg, ankle/brachial indices, Doppler waveform analysis, volume plethysmography, transcutaneous oxygen tension measurement)
- 93923 Non-invasive physiologic studies of upper or lower extremity arteries, multiple levels or with provocative functional maneuvers, complete bilateral study (eg, segmental blood pressure measurements, segmental Doppler waveform analysis, segmental volume plethysmography, segmental transcutaneous oxygen tension measurements, measurements with postural provocative tests, measurements with reactive hyperemia)
- 93924 Non-invasive physiologic studies of lower extremity arteries, at rest and following treadmill stress testing, complete bilateral study

- 93925 Duplex scan of lower extremity arteries or arterial bypass grafts; complete bilateral study
- 93926 unilateral or limited study
- 93930 Duplex scan of upper extremity arteries or arterial bypass grafts; complete bilateral study
- 93931 unilateral or limited study

EXTREMITY VENOUS STUDIES (INCLUDING DIGITS)

- 93965 Non-invasive physiologic studies of extremity veins, complete bilateral study, (eg, Doppler waveform analysis with responses to compression and other maneuvers, phleborheography, impedance plethysmography)
- 93970 Duplex scan of extremity veins including responses to compression and other maneuvers; complete bilateral study
- 93971 unilateral or limited study

VISCERAL AND PENILE VASCULAR STUDIES

- 93975 Duplex scan of arterial inflow and venous outflow of abdominal, pelvic, scrotal contents and/or retroperitoneal organs; complete study
- 93976 limited study
- 93978 Duplex scan of aorta, inferior vena cava, iliac vasculature, or bypass grafts; complete study
- 93979 unilateral or limited study
- 93980 Duplex scan of arterial inflow and venous outflow of penile vessels; complete study
- 93981 follow-up or limited study
- 93982** Noninvasive physiologic study of implanted wireless pressure sensor in aneurysmal sac following endovascular repair, complete study including recording, analysis of pressure and waveform tracings, interpretation and report

EXTREMITY ARTERIAL-VENOUS STUDIES

- 93990 Duplex scan of hemodialysis access(including arterial inflow, body of access and venous outflow)

PULMONARY SERVICES

Codes 94010-94770 include laboratory procedure(s), interpretation and physician's services (except surgical and anesthesia services), unless otherwise stated.

- 94010 Spirometry, including graphic record, total and timed vital capacity, expiratory flow rate measurement(s), with or without maximal voluntary ventilation
- 94014 Patient-initiated spirometric recording per 30-day period of time; includes reinforced education, transmission of spirometric tracing, data capture, analysis of transmitted data, periodic recalibration and physician review and interpretation
- 94015 recording (includes hook-up, reinforced education, data transmission, data capture, trend analysis, and periodic recalibration)

Ordered Ambulatory Procedure Codes

- 94060 Bronchodilation responsiveness, spirometry as in 94010, pre-and post-bronchodilator administration
(For prolonged exercise test for bronchospasm with pre- and post-spirometry, use 94620)
- 94070 Bronchospasm provocation evaluation, multiple spirometric determinations as in 94010, with administered agents (eg., antigen(s), cold air, methacholine)
- 94150 Vital capacity, total (separate procedure)
- 94200 Maximum breathing capacity, maximal voluntary ventilation
- 94240 Functional residual capacity or residual volume: helium method, nitrogen open circuit method, or other method
- 94250 Expired gas collection, quantitative, single procedure
(separate procedure)
- 94260 Thoracic gas volume
- 94350 Determination of maldistribution of inspired gas: multiple breath nitrogen washout curve including alveolar nitrogen or helium equilibration time
- 94360 Determination of resistance to airflow, oscillatory or plethysmographic methods
- 94370 Determination of airway closing volume, single breath tests
- 94375 Respiratory flow volume loop
- 94620 Pulmonary stress testing; simple (eg, 6-minute walk test, prolonged exercise test for bronchospasm with pre- and post-spirometry and oximetry)
- 94621 complex (including measurements of CO₂ production, O₂ uptake, and electrocardiographic recordings)
- 94640 Pressurized or non-pressurized inhalation treatment for acute airway obstruction or for sputum induction for diagnostic purposes (eg, with aerosol generator, nebulizer, metered dose inhaler or intermittent positive pressure breathing (IPPB) device)
- 94642 Aerosol inhalation of pentamidine for pneumocystis pneumonia treatment or prophylaxis
- 94664 Demonstration and/or evaluation of patient utilization of an aerosol generator, nebulizer, metered dose inhaler or IPPB device (Report 94664 one time only per day of service)
- 94680 Oxygen uptake, expired gas analysis; rest and exercise, direct, simple
- 94681 including CO₂ output, percentage oxygen extracted
- 94690 rest, indirect (separate procedure)
- 94720 Carbon monoxide diffusing capacity (eg, single breath, steady state)
- 94725 Membrane diffusion capacity
- 94750 Pulmonary compliance study (eg, plethysmography, volume and pressure measurements)
- 94770 Carbon dioxide, expired gas determination by infrared analyzer

ALLERGY AND CLINICAL IMMUNOLOGY SERVICES

ALLERGY SENSITIVITY TESTS: the performance and evaluation of selective cutaneous and mucous membrane tests in correlation with the history, physical examination, and other observations of the patient. The number of tests performed should be judicious and dependent upon the history, physical findings, and clinical judgment. All patients should not necessarily receive the same tests nor the same number of sensitivity tests. Maximum fees include observation and interpretation of the tests by an allergist.

ALLERGY TESTING

95004 Percutaneous tests (scratch, puncture, prick) with allergenic extracts, immediate type reaction, including test interpretation and report by a physician, specify number of tests

(Note: Must bill with paper claim on tests over 60. Report total number of tests on your documentation. Calculate total amount due as follows: \$0.50 for each test up to 60 tests and \$0.25 for each test over 60 tests).

95010 Percutaneous tests (scratch, puncture, prick) sequential and incremental, with drugs, biologicals or venoms, immediate type reaction, specify number of tests

95015 Intracutaneous (intradermal) tests, sequential and incremental, with drugs, biologicals, or venoms, immediate type reaction, specify number of tests

95024 Intracutaneous (intradermal) tests with allergenic extracts, immediate type reaction, including test interpretation and report by a physician, specify number of tests

95028 Intracutaneous (intradermal) tests with allergenic extracts, delayed type reaction, including reading, specify number of tests

95060 Ophthalmic mucous membrane tests

95065 Direct nasal mucous membrane test

ALLERGEN IMMUNOTHERAPY

95165 Professional services for the supervision of preparation and provision of antigens for allergen immunotherapy; (to be administered by or under the supervision of another physician single or multiple antigens, specify number of **doses**)

SENSITIVITY TESTING

86485 Skin test; candida

86486 unlisted antigen, each

86490 coccidioidomycosis

86510 histoplasmosis

86580 tuberculosis, intradermal

NEUROLOGY AND NEUROMUSCULAR SERVICES

ROUTINE ELECTROENCEPHALOGRAPHY (EEG)

EEG codes 95812-95822 include hyperventilation and/or photic stimulation when appropriate. Routine EEG codes 95816-95822 include 20-40 minutes of recording. Extended EEG codes 95812-95813 include reporting times longer than 40 minutes.

- 95812 Electroencephalogram (EEG) extended monitoring; 41-60 minutes
- 95813 greater than one hour
- 95816 Electroencephalogram (EEG); including recording awake and drowsy
- 95819 including recording awake and asleep
- 95822 recording in coma or sleep only
- 95827 all night recording
- 95830 Insertion by physician of sphenoidal electrodes for electroencephalographic (EEG) recording (includes tracing, interpretation and report)

MUSCLE AND RANGE OF MOTION TESTING

- 95831 Muscle testing, manual (separate procedure) with report; extremity (excluding hand) or trunk
 - 95832 hand, with or without comparison with normal side
 - 95833 total evaluation of body, excluding hands
 - 95834 total evaluation of body, including hands
 - 95851 Range of motion measurements and report (separate procedure); each extremity (excluding hand) or each trunk section (spine)
 - 95852 hand, with or without comparison with normal side
 - 95857 Tensilon test for myasthenia gravis;
 - 95860 Needle electromyography; one extremity with or without related paraspinal areas
 - 95861 two extremities with or without related paraspinal areas
- (For dynamic electromyography performed during motion analysis studies, see 96002-96003)
- 95863 three extremities with or without related paraspinal areas
 - 95864 four extremities with or without related paraspinal areas
 - 95865 larynx
 - 95866 hemidiaphragm
 - 95867 cranial nerve supplied muscle(s); unilateral
 - 95868 bilateral
 - 95869 thoracic paraspinal muscles (excluding T1 or T2)
 - 95870 limited study of muscles in one extremity or non-limb (axial) muscles (unilateral or bilateral), other than thoracic paraspinal, cranial nerve supplied muscles, or sphincters

(To report a complete study of the extremities, see 95860-95864)

(For needle electromyography of cranial supplied muscles, see 95867, 95868)

- 95872 Needle electromyography using single fiber electrode, with quantitative measurement of jitter, blocking and/or fiber density, any/all sites of each muscle studied
- 95875 Ischemic limb exercise test with serial specimen(s) acquisition for muscle(s) metabolite(s)

NERVE CONDUCTION STUDIES

- 95900 Nerve conduction, amplitude and latency/velocity study, each nerve; motor, without F-wave study
 - 95903 motor, with F-wave study
 - 95904 sensor
- (Report 95900, 95903 and/or 95904 only once when multiple sites on the same nerve are stimulated or recorded)
- 95921 Testing of autonomic nervous system function; cardiovagal innervation (parasympathetic function), including two or more of the following: heart rate response to deep breathing with recorded R-R interval Valsalva ratio, and 30:15 ratio
 - 95922 vasomotor adrenergic innervation (sympathetic adrenergic function), including beat-to-beat blood pressure and R-R interval changes during Valsalva maneuver and at least five minutes of passive tilt
 - 95923 sudomotor, including one or more of the following: quantitative sudomotor axon reflex test (QSART), silastic sweat imprint, thermoregulatory sweat test, and changes in sympathetic skin potential
 - 95925 Short-latency somatosensory evoked potential study, stimulation of any/all peripheral nerves or skin sites, recording from the central nervous system; in upper limbs
 - 95926 in lower limbs
 - 95927 in the trunk or head
 - 95928 Central motor evoked potential study (transcranial motor stimulation); upper limbs
 - 95929 lower limbs
 - 95930 Visual evoked potential (VEP) testing central nervous system, checkerboard or flash
 - 95933 Orbicularis oculi (blink) reflex, by electrodiagnostic testing
 - 95934 H-reflex, amplitude and latency study; record gastrocnemius/soleus muscle
 - 95936 record muscle other than gastrocnemius/soleus muscle
 - 95937 Neuromuscular junction testing (repetitive stimulation, paired stimuli), each nerve, any one method
 - 95950 Monitoring for identification and lateralization of cerebral seizure focus, electroencephalographic (eg, 8 channel EEG) recording and interpretation, each 24 hours
 - 95951 Monitoring for localization of cerebral seizure focus by cable or radio, 16 or more channel telemetry, combined electroencephalographic (EEG) and video recording and interpretation, (eg, for presurgical localization), each 24 hours

- 95953 Monitoring for localization of cerebral seizure focus by computerized portable 16 or more channel EEG; electroencephalographic (EEG) recording and interpretation, each 24 hours
- 95956 Monitoring for localization of cerebral seizure focus by cable or radio, 16 or more channel telemetry; electroencephalographic (EEG) recording and interpretation, each 24 hours
- 95990 Refilling and maintenance on implantable pump or reservoir for drug delivery, spinal (intrathecal, epidural) or brain (intraventricular)
- 96002 Dynamic surface electromyography, during walking or other functional activities, 1-12 muscles
- 96003 Dynamic fine wire electromyography, during walking or other functional activities, 1 muscle

(Do not report 96002, 96003 in conjunction with 95860-95864, 95869-95872)

**CENTRAL NERVOUS SYSTEM ASSESSMENTS/TESTS (e.g.,
NEURO-COGNITIVE, MENTAL STATUS, SPEECH TESTING)**

(When billing for procedure codes 96105 thru 96118, the total time billed to New York State Medicaid should reflect the face-to-face contact time with the patient. Reimbursement for all work performed before and after the face-to-face encounter (e.g., analysis of tests, reviewing records, etc.) is included in the maximum reimbursable amount for the face-to-face encounter.)

- 96105 Assessment of aphasia (includes assessment of expressive and receptive speech and language function, language comprehension, speech production ability, reading, spelling, writing, eg, by Boston Diagnostic Aphasia Examination) with interpretation and report, per hour
- 96111 Developmental testing; extended (includes assessment of motor language, social, adaptive and/or cognitive functioning by standardized developmental instruments) with interpretation and report (**Report required**)
- 96116 Neurobehavioral status exam (clinical assessment of thinking, reasoning and judgment, eg, acquired knowledge, attention, language, memory, planning and problem solving and visual spatial abilities) per hour of the psychologist's or physician's time, both face-to-face time with the patient and time or physician's time, both face-to-face time with the patient and time interpreting test results and preparing the report
- 96118 Neuropsychological testing (eg, Halstead-Reitan Neuropsychological Battery, Wechsler Memory Scales and Wisconsin Card Sorting Test), per hour of the psychologist's or physician's time, both face-to-face time administering tests to the patient and time interpreting these test results and preparing the report

MISCELLANEOUS ORDERED AMBULATORY SERVICES

- 36430 Transfusion, blood or blood components
- 36511 Therapeutic apheresis; for white blood cells
- 36512 for red blood cells

- 36513 for platelets
- 36514 for plasma pheresis
- 36515 with extracorporeal immunoadsorption and plasma reinfusion
- 36516 with extracorporeal selective adsorption or selective filtration and plasma reinfusion
- 36522 Photopheresis, extracorporeal (For technical component see Modifier –TC)
- 38242 Bone marrow or blood-derived peripheral stem cell transplantation; allogenic donor lymphocyte infusions
- 54240 Penile plethysmography
- 59020 Fetal contraction stress test
- 59025 Fetal non-stress test
- 99170 Anogenital examination with colposcopic magnification in childhood for suspected trauma
(99170 should not be billed in addition to the all-inclusive clinic rate or emergency room rate)
- 99195 Phlebotomy, therapeutic (separate procedure) (**Report required**)
- A0225 Ambulance service, neonatal transport, base rate, emergency transport, one way (Service limited to Hospital Based Ordered Ambulatory with a 740 speciality (Regional Perinatal Transportation))

REHABILITATION SERVICES

SPEECH LANGUAGE PATHOLOGY SERVICES

- 92506 Evaluation of speech, language, voice, communication, and/or auditory processing
- 92507 Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual, (includes aural rehabilitation); (each half hour)

PHYSICAL THERAPY SERVICES/OCCUPATIONAL THERAPY SERVICES

- 97530 Therapeutic activities, direct (one-on-one) patient contact by the provider (use of dynamic activities to improve functional performance), each 15 minutes (up to a maximum of 2 hours)

USE OF THE OPERATING ROOM

For information regarding the application process required for the Hospital-Based Ambulatory Surgery Program, please contact the hospital services representative in the appropriate OHSM Area Office for consultation. Current addresses and telephone numbers for the OHSM Area Offices are provided in the Inquiry Section of the manual.