

**NEW YORK STATE
MEDICAID PROGRAM**

PHARMACY

PROCEDURE CODES

Table of Contents

4.0	GENERAL INFORMATION AND INSTRUCTIONS	2
4.1	ALLOWABLE NON-PRESCRIPTION DRUGS/OTC DRUGS	4
4.2	ENTERAL AND PARENTERAL THERAPY.....	11
4.3	MEDICAL/SURGICAL SUPPLIES.....	16
4.4	HEARING AID BATTERY	34
4.5	COMPOUNDED PRESCRIPTIONS	35
4.6	PHARMACISTS AS IMMUNIZERS.....	36

OTC/SUPPLY CODES

4.0 GENERAL INFORMATION AND INSTRUCTIONS

1. Prior approval, dispensing validation, and prior authorization:
 - a. “_____” underlined code numbers indicate that prior approval is required, utilizing form eMedNY 361501.
 - b. When the description is preceded by a “#”, Medicaid Eligibility Verification System (MEVS) dispensing validation is required.
 - c. When the description is preceded by a “*”, voice interactive telephone prior authorization is required. The prescriber must write the prior authorization number on the fiscal order and the dispenser completes the authorization process by calling (866) 211-1736.

2. Where the letters “PA” appear in the price column, the actual price must be determined at the time of prior approval.

3. MMIS Modifiers:
 - a. The modifier ‘DD’ is no longer in use, effective for dates of service on and after April 1, 2002.
 - b. The modifier ‘BO’, Orally administered enteral nutrition, must be added to the five-digit alpha-numeric code as indicated, effective April 1, 2003.

4. Unlisted/By Report Items:
 - a. Reimbursement for unlisted Supply Items is limited to the lower of:
 - The actual acquisition cost (by invoice to the provider) plus 50%;or
 - The usual and customary charge to the general public.

 - b. Effective January 1, 2005, reimbursement for Enteral Therapy indicated By Report is limited to the lower of:
 - The actual acquisition cost (by invoice to the provider) plus 30%;or
 - The usual and customary price charged to the general public.

5. Reimbursement for Enteral Therapy, Parenteral Therapy, listed Non-prescription Drugs and Medical/Surgical Supplies is limited to the lower of:
 - The price as indicated in the New York State Fee Schedule; or
 - The usual and customary price charged to the general public.
6. See Section 4.5 for compounded prescription billing instructions.
7. **Acquisition cost** means the line item cost from a manufacturer or wholesaler net of any rebates, discounts or other valuable considerations, mailing, shipping, handling, insurance costs or any sales tax.
8. For items listed in section **4.3 Medical/Surgical Supplies**, **the quantity listed is the maximum allowed per month**. If the fiscal order exceeds this amount, the provider must obtain prior approval.
9. **“BY REPORT” (BR)**: When billing “By Report”, appropriate documentation (e.g.: itemized invoice) indicating total cost of the item, and any other factors which may be pertinent, must be submitted with the claim.
10. **FILLING ORDERS**: An original fiscal order for Medical-Surgical Supplies may not be filled more than 60 days after it has been initiated by the ordering practitioner unless prior approval is required.

<u>DESCRIPTION</u>	<u>MAXIMUM QUANTITY/MO</u>
---------------------------	-----------------------------------

4.1 ALLOWABLE NON-PRESCRIPTION DRUGS/OTC DRUGS

Non-prescription drugs included in the therapeutic categories listed in this section may be reimbursed in the New York State Medical Assistance Program; and as a reimbursement item of medical assistance shall be the lower of:

(a) The provider's usual and customary price to the general public on the date of provision of service, but not to exceed the lower sale price, if any, in effect on that date; or

(b) The maximum reimbursable price established and maintained as listed.

For non-prescription/OTC National Drug Codes (NDC's) refer to the New York State Medicaid Reimbursable Drug List (Microfiche). All non-prescription drugs may be refilled up to five times.

ANALGESIC AND ANTIPYRETIC

Acetaminophen

Tablets

80 mg	150
325 mg	300
500 mg	240

Liquid

600 ml

Drops

75 ml

Suppositories

120-125 mg	60
300-325 mg	60
600-650 mg	60

Acetylsalicylic acid

Tablets 81 mg

180

325 mg

500

Tablets, enteric coated

325 mg

500

Suppositories 300- 325 mg

60

650 mg

60

Tablets, buffered

500

Ibuprofen

Tablets 200 mg

500

Syrup 100 mg/5 ml

300

<u>DESCRIPTION</u>	<u>MAXIMUM QUANTITY/MO</u>
<u>ANTACID</u>	
Aluminum hydroxide gel	
Suspension	2400 ml
Tablets	500
Aluminum hydroxide, magnesium trisilicate, alginic acid and sodium bicarbonate tablets	500
Aluminum hydroxide gel with magnesium hydroxide or trisilicate and/or simethicone and/or other antacid preparations:	
Suspension	1775 ml
Tablets	500
Cimetidine	
Tablet 200mg	200
Suspension 200mg	3550 ml
Famotidine	
Tablet 10 mg	200
Tablet 20 mg	150
Chewable 10mg	500
with Calcium carbonate and/or Magnesium hydroxide and/or other antacid preparations 10 mg	300
Nizatidine tablet 75mg	150
Omeprazole Mag tablet 20mg	84
Ranitidine	
Tablet 75mg	150
Tablet 150mg	150
Sodium bicarbonate tablets 650 mg	500
<u>ANTI-DIARRHEAL</u>	
Loperamide HCL liquid 1 mg/5 ml	600
Polycarbophil tablets 500 mg	500 ml
Bismuth Subsalicylate	
Tablets 262 mg	500
Liquid 262 mg/15 ml	2400 ml
<u>ANTIHISTAMINE</u>	
Brompheniramine tablets 4 mg 24's	24
Brompheniramine tablets 4 mg	500
Chlorpheniramine tablets 4 mg 24's	24
Chlorpheniramine tablets 4 mg	500
Diphenhydramine capsules 25 mg	500
Liquid 12.5 mg/5 ml	600 ml

Pharmacy Procedure Codes

<u>DESCRIPTION</u>	<u>MAXIMUM QUANTITY/MO</u>
Loratadine tablet 10 mg	100
Loratadine/P-ephedrine 12 hour	60
Loratadine/P-ephedrine 24 hour	30
Loratadine Syrup	960 ml
 <u>ANTI-VERTIGO</u>	
Dimenhydrinate tablets 50 mg 12's	12
Dimenhydrinate tablets 50 mg	500
 <u>ARTIFICIAL TEARS AND OCCULAR/ORAL LUBRICANTS</u>	
Lubricant ophthalmic ointment	18 G
Artificial tears ml/UD	75 ml
Saliva substitute (squeeze or spray sol)	900 ml
Sodium chloride ophthalmic	
Ointment 5%	18 G
Solution 2%	75 ml
5%	75 ml
 <u>CARDIOVASCULAR</u>	
Nicotinic acid tablets	
50 mg	500
100 mg	500
500 mg	500
 <u>CHRONIC RENAL DISEASE</u>	
Calcium tablets (500 mg elemental Ca) 1.25 G	300
Basic aluminum carbonate gel	
Capsules 400-600 mg	500
Tablets 300-600 mg	2500
Suspension 400-600 mg/5 ml	1775 ml
Calcium carbonate/simethicone	150
6.5 G/0.5 G (7 G) packets	
 <u>COUGH AND COLD</u>	
Phenylephrine HCL Nasal Solution 1/8%	150 ml
Guaifenesin syrup 120 ml	120 ml
Guaifenesin syrup	1185 ml
Guaifenesin w/decongestant and/or antitussive drops	150 ml
Guaifenesin capsules/tablets 600 mg	120
Non-Narcotic antitussants and/or antihistamine and/or expectorant and/or decongestant and/or combination syrup 120 ml	120 ml

<u>DESCRIPTION</u>	<u>MAXIMUM QUANTITY/MO</u>
Non-Narcotic antitussants and/or antihistamine and/or expectorant and/or decongestant and/or combination syrup	1185 ml
Antihistamine and decongestant syrup	600 ml
Oxymetazoline HC1 nasal solution	150 ml
Non-Narcotic antitussants and/or upper respiratory combinations of antihistamines and decongestant tabs and caps	120
Decongestant syrup	600 ml
Decongestant tablets 30 mg	120
Sodium chloride nasal drops/spray 0.4 – 0.9%	250 ml
 <u>DERMATOLOGICAL</u>	
Abreva topical antiviral cream	4 G
Aluminum acetate conc. Sol	2365 ml
Bacitracin ointment	150 G
Benzoyl peroxide	
Gel 5%	225 G
10%	225 G
Lotion 5%	300 ml
10%	300 ml
Hydrocortisone cream 1%	150 G
Ointment 1%	150 G
Lotion 1%	300 ml
Tolnaftate Cream/Gel 1%	75 G
Powder 1%	225 G
Solution 1%	50 ml
Antifungal vaginal cream w/applicator	45 G
Antifungal vaginal suppositories	7
 <u>FAMILY PLANNING</u> (See Section 4.3)	
Contraceptive suppositories	60
Contraceptive jelly kit w/applicator	114 G
Contraceptive jelly	570 G
Contraceptive cream	575 G
Jelly disposable applicator	50
Contraceptive foam kit small	200 G
Contraceptive foam kit	450 G

<u>DESCRIPTION</u>	<u>MAXIMUM QUANTITY/MO</u>
<u>FECAL SOFTENER AND LAXATIVE</u>	
Milk of Magnesia Suspension	2365 ml
Tablets	500
Heavy mineral oil	2365 ml
Docusate potassium or sodium	
Capsules 100 mg	500
Syrup 20 mg/5 ml	2365 ml
Solution 10 mg/ml	600 ml
Bisacodyl suppositories 10 mg 12's	12
Bisacodyl suppositories 10 mg	250
Bisacodyl tablets, delayed release 5 mg	500
Bulk laxatives, psyllium and/or methylcellulose, karaya gum, combinations, etc.	2400 G
Barium enema prep kit	5
Senna tablets	500
Sugar-free psyllium powder	1500 G
Polycarbophil tablets 500 mg	500
Disposable enema	6750 ml
Disposable enema, docusate sodium	3000 ml

HEMATINIC

Ferrous Salts tablets 300 - 325 mg	500
Liquid	2365 ml
Drops	250 ml
Polysaccharide Iron Complex 150mg	500
Polysaccharide Iron Complex 150mg w/Vitamin-Min	500

INSULIN

The maximum fees for insulin are adjusted periodically by the State to reflect the current cost. Refer to the New York State Department of Health List of Medicaid Reimbursable Drugs.

INSULIN, BIOSYNTHETIC HUMAN

Insulin injection U-100	50 ml
Insulin suspension, isophane U-100	50 ml
Insulin zinc suspension 70%/30%	50 ml
Insulin injection U-100	
3 ml Cartridge	45 ml
1.5 ml Cartridge	45 ml
Insulin suspension, isophane U-100	
3 ml Cartridge	45 ml
1.5 ml Cartridge	45 ml

<u>DESCRIPTION</u>	<u>MAXIMUM QUANTITY/MO</u>
Insulin suspension isophane 70% with insulin injection 30% U-100	
3 ml Cartridge	45 ml
1.5 ml Cartridge	45 ml
 <u>PEDICULOCIDE</u>	
Pyrethrins (0.17 - 0.33%) w/piperonylbutoxide (2 - 4%) Liquid	600 mg
Permethrin creme rinse 1%	300 mg
 <u>SMOKING CESSATION AGENTS</u>	
Transdermal Nicotine 0-7 mg	30
8-15 mg	30
16 mg and above	30
Nicotine Gum 2 mg 108's and larger	540
48's and 50's	50
Nicotine Gum 4 mg 108's and larger	540
48's and 50's	50
 <u>VITAMIN/MINERAL</u>	
ACD drops Solution	250 ml
with Iron	250 ml
Multi-Vitamin Solution (drops)	250 ml
with Iron	250 ml
Capsules or Tablets	500
with minerals	500
Solution w/or w/o minerals 240 ml	240 ml
Solution w/or w/o minerals	2365 ml
Therapeutic vitamins, w/or w/o minerals, capsules or tablets	500
Prenatal vitamins capsules or tablets	500
Ascorbic Acid	
100 mg	500
250 mg	500
500 mg	500
Calcium w/ or w/o Vitamin D	
500 mg	500
600 - 650 mg	500
Calcium Citrate 950 mg w/ or w/o Vitamin D	200
Pyridoxine HCL tablets (Vitamin B6)	
25 mg	500
50 mg	500
100 mg	500

<u>DESCRIPTION</u>	<u>MAXIMUM QUANTITY/MO</u>
Thiamine HCL tablets (Vitamin B1)	
50 mg	500
100 mg	500
Vitamin D2 8000 IU/ml	300 ml
Vitamin D3 400 IU tablet or soft gel capsules	500
Vitamin A 10000 IU Capsules	500
Magnesium tablets	500
 <u>UNCLASSIFIED</u>	
Pediatric Electrolyte Sol, Oral	5000 ml
Glucose tablets	60
Glucose gel	465 gm

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
-------------	--------------------	-----------------

4.2 ENTERAL AND PARENTERAL THERAPY

ENTERAL FORMULAE AND ENTERAL SUPPLIES

B4034	#Enteral feeding supply kit; syringe fed, per day	up to 30/mo
B4035	#Enteral feeding supply kit; pump fed, per day	up to 30/mo
B4036	#Enteral feeding supply kit; gravity fed, per day	up to 30/mo
	<ul style="list-style-type: none"> • Enteral feeding supply kits (B4034-B4036) include whatever supplies are necessary to administer the specific type of feeding, and maintain the feeding site. This includes, but is not limited to: syringes, measuring containers, tip adapters, anchoring device, gauze pads, protective-dressing wipes, tape, and tube cleaning brushes. 	
B4081	#Nasogastric tubing with stylet	one
B4082	#Nasogastric tubing without stylet	up to 2
B4083	#Stomach tube - Levine type	up to 2
B4087	#Gastrostomy/jejunostomy tube, standard, any material, any type, each	one
B4088	#Gastrostomy/jejunostomy tube, low-profile, any material, any type, each	one/3 months
	<ul style="list-style-type: none"> • For beneficiaries who cannot tolerate the size of a standard gastrostomy tube or who have experienced failure of a standard gastrostomy tube. This code is for replacement in the patient's home and should not be billed when the tube is replaced in the physician's office, ER or facility with an all inclusive rate. This kit includes tube/ button/ port, syringes, all extensions and/or decompression tubing and obturator if indicated. 	
B4100	#Food thickener, administered orally, per ounce	up to 180
B4149	*Enteral formula, manufactured blenderized natural foods with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units
B4150	*Enteral formula, nutritionally complete with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units
B4152	*Enteral formula, nutritionally complete, calorically dense (equal to or greater than 1.5 kcal/ml) with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
B4153	*Enteral formula, nutritionally complete, hydrolyzed proteins (amino acids and peptide chain), includes fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units
B4154	*Enteral formula, nutritionally complete, for special metabolic needs, excludes inherited disease of metabolism, includes altered composition of proteins, fats, carbohydrates, vitamins and/or minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units
B4155	*Enteral formula, nutritionally incomplete/modular nutrients, includes specific nutrients, carbohydrates (e.g. glucose polymers), proteins/amino acids (e.g. glutamine, arginine), fat (e.g. medium chain triglycerides) or combination, administered through an enteral feeding tube, 100 calories = 1 unit	up to 300 caloric units
B4157	*Enteral formula, nutritionally complete, for special metabolic needs for inherited disease of metabolism, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units
B4158	*Enteral formula, for pediatrics, nutritionally complete with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber and/or iron, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units
B4159	*Enteral formula, for pediatrics, nutritionally complete soy based with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber and/or iron, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units
B4160	*Enteral formula, for pediatrics, nutritionally complete calorically dense (equal to or greater than 0.7 kcal/ml) with intact nutrients, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
B4161	*Enteral formula, for pediatrics, hydrolyzed/amino acids and peptide chain proteins, includes fats, carbohydrates, vitamins and minerals, may include fiber, administered through and enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units
B4162	*Enteral formula, for pediatrics, special metabolic needs for inherited disease of metabolism, includes proteins, fats, carbohydrates, vitamins and minerals, may include fiber, administered through an enteral feeding tube, 100 calories = 1 unit	up to 600 caloric units
<u>B9998</u>	Not otherwise classified enteral supplies (e.g., flavor packets, liquid vitamin E)	up to 90
S8265	#Haberman feeder for cleft lip/palate	up to 2 per 30 days

ENTERAL NUTRITIONAL FORMULA

Benefit Coverage Criteria is limited to:

- Beneficiaries who are **fed via** nasogastric, gastrostomy or jejunostomy **tube**.
- Beneficiaries with **inborn metabolic disorders**.
- **Children up to 21 years of age**, who require liquid oral nutritional therapy when there is a documented diagnostic condition where caloric and dietary nutrients from food cannot be absorbed or metabolized.

Documentation Requirements

- The therapy must be an integral component of a documented medical treatment plan and ordered in writing by an authorized practitioner. It is the responsibility of the practitioner to maintain documentation in the beneficiary's record regarding the medical necessity for enteral nutritional formula.
- The physician or other appropriate health care practitioner has documented the beneficiary's nutritional depletion.
- Medical necessity for enteral nutritional formula must be substantiated by documented physical findings and/or laboratory data (e.g., changes in skin or bones, significant loss of lean body mass, abnormal serum/urine albumin, protein, iron or calcium levels, or physiological disorders resulting from surgery, etc.)
- Documentation for beneficiaries who qualify for enteral formula benefit must include an established diagnostic condition and the pathological process causing malnutrition and one or more of the following items:
 - (a) Clinical findings related to the malnutrition such as a recent involuntary weight loss or a child with no weight or height increase for six months.
 - (b) Laboratory evidence of low serum proteins (i.e., serum albumin less than 3 gms/dl; anemia or leukopenia less than 1200/cmm);
 - (c) Failure to increase body weight with usual solid or oral liquid food intake.

CODE

DESCRIPTION

QUANTITY

Additional Information:

- Non-standard infant formulas are reimbursable by Medicaid under the appropriate enteral therapy code.
- The calculation for pricing enteral formula is as follows: Number of calories per can divided by 100 equals the number of caloric units per can.
- Enteral formula requires voice interactive prior authorization, as indicated by the “*” next to the code description. The prescriber must write the prior authorization number on the fiscal order and the dispenser completes the authorization process by calling (866) 211-1736. For requests that exceed 2,000 calories per day for qualifying beneficiaries, a prior approval request may be submitted with medical justification.
- The New York State Medicaid Program does not cover enteral nutritional therapy as a convenient food substitute.
- Standard milk-based infant formulas are not reimbursable by Medicaid.

Related Links:

The NYS Medicaid Program Enteral Formula Prior Authorization Dispenser Worksheet is available at:

<http://emedny.org/ProviderManuals/DME/communications.html>

The enteral product classification list is available at:

<http://www.emedny.org/ProviderManuals/DME/communications.html>

PARENTERAL FORMULAE AND PARENTERAL SUPPLIES

B4164	Parenteral nutrition solution; carbohydrates (dextrose), 50% or less (500 ml = 1 unit) – home mix
B4168	Parenteral nutrition solution; amino acid, 3.5%,(500 ml = 1 unit) – home mix
B4172	Parenteral nutrition solution; amino acid, 5.5% through 7%, (500 ml = 1 unit) – home mix
B4176	Parenteral nutrition solution; amino acid, 7% through 8.5%, (500 ml = 1 unit) – home mix
B4178	Parenteral nutrition solution; amino acid, greater than 8.5% (500 ml = 1 unit) – home mix
B4180	Parenteral nutrition solution; carbohydrates (dextrose), greater than 50% (500 ml = 1 unit) home mix
B4185	Parenteral nutrition solution, per 10 grams lipids
B4189	Parenteral nutrition solution; compounded amino acid and carbohydrates with electrolytes, trace elements, and vitamins, including preparation, any strength,10 to 51 grams of protein – premix
B4193	Parenteral nutrition solution; compounded amino acid and carbohydrates with electrolytes, trace elements, and vitamins, including preparation, any strength,52 to 73 grams of protein – premix
B4197	Parenteral nutrition solution; compounded amino acid and carbohydrates with electrolytes, trace elements, and vitamins, including preparation, any strength, 74 to 100 grams of protein – premix

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
B4199	Parenteral nutrition solution; compounded amino acid and carbohydrates with electrolytes, trace elements and vitamins, including preparation, any strength, over 100 grams of protein – premix	
B4216	Parenteral nutrition; additives (vitamins, trace elements, heparin, electrolytes) – home mix, per day	
<u>B4220</u>	Parenteral nutrition supply kit, premix, per day	
<u>B4222</u>	Parenteral nutrition supply kit, home mix, per day	
<u>B4224</u>	Parenteral nutrition administration kit, per day	
B5000	Parenteral nutrition solution; compounded amino acid and carbohydrates with electrolytes, trace elements, and vitamins, including preparation, any strength, renal – (Amirosyn RF, Nephramine, Renamine) – premix	
B5100	Parenteral nutrition solution; compounded amino acid and carbohydrates with electrolytes, trace elements, and vitamins, including preparation, any strength, hepatic – (Freamine HBC, Hepatamine) - premix	
B5200	Parenteral nutrition solution; compounded amino acid and carbohydrates with electrolytes, trace elements, and vitamins, including preparation, any strength, stress – (branch chain amino acids) – premix	
<u>B9999</u>	Not otherwise classified parenteral supplies	

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
<u>4.3 MEDICAL/SURGICAL SUPPLIES</u>		
<u>ADHESIVE TAPE/REMOVER</u>		
A4450	Tape, non-waterproof, per 18 square inches	(up to 300)
A4452	Tape, waterproof, per 18 square inches	(up to 100)
A4455	Adhesive remover or solvent (for tape, cement or other adhesive), per ounce	(up to 40)
<u>ANTISEPTICS</u>		
A4244	Alcohol or peroxide, per pint	(up to 5)
A4245	Alcohol wipes, per box(100's)	each (up to 5)
A4246	Betadine or pHisoHex solution, per pint	(up to 3)
<u>BREAST PUMPS</u>		
E0602/E0603 include all necessary supplies and collection containers (kit). Rental of hospital grade breast pumps is limited to Durable Medical Equipment vendors.		
E0602	Breast pump, manual, any type	each (up to 1)
E0603	#Breast pump, electric (AC and/or DC), any type	each (up to 1)
<u>CANES/CRUTCHES/ACCESSORIES</u>		
A4635	Underarm pad, crutch, replacement, each	each (up to 2)
A4636	Replacement, handgrip, cane, crutch or walker, each	each (up to 2)
A4637	Replacement, tip, cane, crutch, or walker, each	each (up to 5)
E0100	#Cane, includes canes of all materials, adjustable or fixed, with tip	each (up to 1)
E0105	#Cane, quad or three-prong, includes canes of all materials, adjustable or fixed, with tips (over 31" height, no rotation option)	each (up to 1)
E0110	Crutches, forearm, includes crutches of various materials, adjustable or fixed, pair, complete with tips and handgrips (over 23" height, no rotation option)	pair (up to 1)
E0111	Crutch, forearm, includes crutches of various materials, adjustable or fixed, each, with tip and handgrip (over 23" height, no rotation option)	each (up to 1)
E0112	Crutches, underarm, wood, adjustable or fixed, pair, with pads, tips and handgrips	pair (up to 1)
E0113	Crutch, underarm, wood, adjustable or fixed, each, with pad, tip and handgrip	each (up to 1)
E0114	Crutches, underarm, other than wood, adjustable or fixed, pair, with pads, tips and handgrips	pair (up to 1)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
E0116	Crutch, underarm, other than wood, adjustable or fixed, with pad, tip, handgrip, with or without shock absorber, each	each (up to 1)
<u>INCONTINENCE APPLIANCES AND CARE SUPPLIES</u>		
A4310	Insertion tray without drainage bag and without catheter (accessories only)	each (up to 10)
A4311	Insertion tray without drainage bag with indwelling catheter, Foley type, two-way latex with coating (Teflon, silicone, silicone elastomer or hydrophilic, etc.)	each (up to 10)
A4314	Insertion tray with drainage bag with indwelling catheter, Foley type, two-way latex with coating (Teflon, silicone, silicone elastomer or hydrophilic, etc.)	each (up to 10)
A4320	Irrigation tray with bulb or piston syringe, any purpose	each (up to 30)
A4322	Irrigation syringe, bulb or piston, each	each (up to 50)
A4326	Male external catheter with integral collection chamber, any type, each	each (up to 2)
A4331	Extension drainage tubing, any type, any length, with connector/adaptor, for use with urinary leg bag or urostomy pouch, each	each (up to 5)
A4333	Urinary catheter anchoring device, adhesive skin attachment, each	each (up to 5)
A4334	Urinary catheter anchoring device, leg strap, each	each (up to 12)
<u>A4335</u>	Incontinence supply; miscellaneous	up to 1/month
A4338	Indwelling catheter; Foley type, two-way latex with coating (Teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	each (up to 10)
A4344	Indwelling catheter, Foley type, two-way, all silicone	each (up to 10)
A4346	Indwelling catheter, Foley type, three-way for continuous irrigation, each	each (up to 10)
A4349	Male external catheter, with or without adhesive, disposable, each	each (up to 60)
A4351	Intermittent urinary catheter; straight tip, with or without coating (Teflon, silicone, silicone elastomer, or hydrophilic, etc.), each	each (up to 250)
<u>A4352</u>	Intermittent urinary catheter; coude (curved) tip, with or without coating (Teflon, silicone, silicone elastomeric, or hydrophilic, etc.), each (for self-catheterization)	each (up to 250)
A4353	Intermittent urinary catheter, with insertion supplies	each (up to 60)
A4354	Insertion tray with drainage bag but without catheter	each (up to 30)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
<u>EXTERNAL URINARY SUPPLIES</u>		
A4356	External urethral clamp or compression device (not to be used for catheter clamp),each	each (up to1)
A4357	Bedside drainage bag, day or night, with or without anti-reflux device, with or without tube, each	each (up to 10)
A4358	Urinary drainage bag; leg or abdomen, vinyl, with or without tube, with straps, each	each (up to 30)
<u>OSTOMY SUPPLIES</u>		
(These codes must be billed for Ostomy care only)		
A4361	Ostomy faceplate, each	each (up to15)
A4362	Skin barrier; solid 4x4 or equivalent, each	each (up to 25)
A4363	Ostomy clamp, any type, replacement only, each	each (up to 5)
A4364	Adhesive, liquid, or equal, any type, per ounce	each (up to 20)
A4366	Ostomy vent, any type, each	each (up to 10)
A4367	Ostomy belt, each	each
A4368	Ostomy filter, any type, each	each (up to 40)
A4369	Ostomy skin barrier, liquid (spray, brush, etc.), per ounce	each (up to 22)
A4371	Ostomy skin barrier, powder, per ounce	each (up to 21)
A4372	Ostomy skin barrier, solid 4x4 or equivalent, standard wear, with built-in convexity, each	each (up to15)
A4373	Ostomy skin barrier, with flange (solid, flexible or acccordian), with built-in convexity, any size, each	each (up to15)
A4376	#Ostomy pouch, drainable, with faceplate attached, rubber, each	each (up to 2)
A4377	Ostomy pouch, drainable, for use on faceplate, plastic, each	each (up to 15)
A4378	#Ostomy pouch, drainable, for use on faceplate, rubber, each	each (up to 2)
A4379	Ostomy pouch, urinary, with faceplate attached, plastic	each (up to 15)
A4380	#Ostomy pouch, urinary, with faceplate attached, rubber, each	each (up to 2)
A4381	Ostomy pouch, urinary, for use on faceplate, plastic, each	each (up to 10)
A4382	Ostomy pouch, urinary, for use on faceplate, heavy plastic, each	each (up to 15)
A4383	#Ostomy pouch, urinary, for use on faceplate, rubber	each (up to 2)
A4385	Ostomy skin barrier, solid 4x4 or equivalent, extended wear, without built-in convexity, each	each (up to 15)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A4387	Ostomy pouch closed, with barrier attached, with built-in convexity (1 piece), each	each (up to 15)
A4388	Ostomy pouch, drainable, with extended wear barrier attached, without built-in convexity (1 piece) each	each (up to 15)
A4389	Ostomy pouch, drainable, with barrier attached, with built-in convexity (1 piece), each	each (up to 15)
A4390	Ostomy pouch, drainable, with extended wear barrier attached, with built-in convexity (1 piece), each	each (up to 15)
A4391	Ostomy pouch, urinary, with extended wear barrier attached, (1 piece), each	each (up to 15)
A4392	Ostomy pouch, urinary, with standard wear barrier attached, with built-in convexity (1 piece), each	each (up to 15)
A4393	Ostomy pouch, urinary, with extended wear barrier attached, with built-in convexity (1 piece), each	each (up to 15)
A4394	Ostomy deodorant, with or without lubricant, for use in ostomy pouch, per fluid ounce	each (up to 8)
A4395	Ostomy deodorant for use in ostomy pouch, solid, per tablet	each (up to 60)
A4396	#Ostomy belt with peristomal hernia support	each (up to 2)
A4397	Ostomy irrigation supply; sleeve, each	each (up to 125)
A4398	Ostomy irrigation supply; bag, each	each (up to 125)
A4399	Ostomy irrigation supply; cone/catheter, including brush	each (up to 1)
A4400	Ostomy irrigation set	each (up to 30)
A4402	Lubricant, per ounce	(up to 20)
A4404	Ostomy ring, each	each (up to 15)
A4405	Ostomy skin barrier, non-pectin based, paste, per ounce	each (up to 18)
A4406	Ostomy skin barrier, pectin-based, paste, per ounce	each (up to 18)
A4407	Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, with built-in convexity, 4 x 4 inches or smaller, each	each (up to 10)
A4408	Ostomy skin barrier, with flange (solid, flexible, or accordion), extended wear, with built-in convexity, larger than 4 x 4 inches, each	each (up to 10)
A4409	Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, without built-in convexity, 4 x 4 inches or smaller, each	each (up to 10)
A4410	Ostomy skin barrier, with flange (solid, flexible or accordion), extended wear, without built-in convexity, larger than 4 x 4 inches, each	each (up to 10)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A4411	Ostomy skin barrier, solid 4x4 or equivalent, extended wear, with built-in convexity, each	each (up to 10)
A4412	Ostomy pouch, drainable, high output, for use on a barrier with flange (2 piece system), without filter, each (used after ostomy surgery)	each (up to 15)
A4413	Ostomy pouch, drainable, high output, for use on a barrier with flange (2 piece system), with filter, each (used after ostomy surgery)	each (up to 15)
A4414	Ostomy skin barrier, with flange (solid, flexible or accordion), without built-in convexity, 4 x 4 inches or smaller, each	each (up to 20)
A4415	Ostomy skin barrier, with flange (solid, flexible or accordion), without built-in convexity, larger than 4 x4 inches, each	each (up to 20)
A4416	Ostomy pouch, closed, with barrier attached, with filter (one piece), each	each (up to 60)
A4417	Ostomy pouch, closed, with barrier attached, with built-in convexity, with filter (one piece), each	each (up to 60)
A4418	Ostomy pouch, closed; without barrier attached, with filter (one piece), each	each (up to 60)
A4419	Ostomy pouch, closed; for use on barrier with non-locking flange, with filter (two piece), each	each (up to 60)
A4420	Ostomy pouch, closed; for use on barrier with locking flange (two piece), each	each (up to 60)
<u>A4421</u>	Ostomy supply; miscellaneous	each (up to 15)
A4423	Ostomy pouch, closed; for use on barrier with locking flange, with filter (two piece), each	each (up to 60)
A4424	Ostomy pouch, drainable, with barrier attached, with filter (one piece), each	each (up to 20)
A4425	Ostomy pouch, drainable; for use on barrier with non-locking flange, with filter (two piece system), each	each (up to 20)
A4426	Ostomy pouch, drainable; for use on barrier with locking flange (two piece system), each	each (up to 20)
A4427	Ostomy pouch, drainable; for use on barrier with locking flange, with filter (two piece system), each	each (up to 20)
A4456	Adhesive remover, wipes, any type, each	each (up to 50)
A4458	#Enema bag with tubing, reusable	each (up to 1)
A5051	Pouch, closed; with barrier attached (1 piece), each	each (up to 60)
A5052	Pouch, closed; without barrier attached (1 piece), each	each (up to 60)
A5053	Pouch, closed; for use on faceplate, each	each (up to 60)
A5054	Pouch, closed; for use on barrier with flange (2 piece), each	each (up to 60)
A5055	Stoma cap	each

Pharmacy Procedure Codes

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A5061	Pouch, drainable; with barrier attached (1 piece), each	each (up to 150)
A5062	Pouch, drainable; without barrier attached (1 piece), each	each (up to 150)
A5063	Pouch, drainable, for use on barrier with flange (2 piece system), each	each (up to 50)
A5071	Pouch, urinary; with barrier attached (1 piece), each	each (up to 50)
A5072	Pouch, urinary; without barrier attached (1 piece) each	each (up to 50)
A5073	Pouch, urinary; for use on barrier with flange (2 piece), each	each.(up to 50)
A5081	Continent device; plug for continent stoma	each (up to 31)
A5082	Continent device; catheter for continent stoma	each (up to 1)
A5093	Ostomy accessory; convex insert	each (up to 5)

ADDITIONAL INCONTINENCE APPLIANCES/SUPPLIES

A5105	# Urinary suspensory; with or without leg bag, with or without tube, each	each (up to 5)
A5112	Urinary leg bag; latex	each (up to 5)
A5113	Leg strap; latex, replacement only, per set	pair (up to 2 pair)
A5114	Leg strap; foam or fabric, replacement only, per set	pair (up to 2 pair)
A5120	Skin barrier, wipes or swabs, each (billed for ostomy care only)	each (up to 100)
A5121	Skin barrier; solid, 6x6 or equivalent, each	each (up to 25)
A5122	Skin barrier; solid, 8x8 or equivalent, each	each (up to 25)
A5126	Adhesive or non-adhesive; disc or foam pad	each (up to 30)
A5131	Appliance cleaner, incontinence and ostomy appliances, per 16 ounce.	each (up to 1)
A5200	Percutaneous catheter/tube anchoring device, adhesive skin attachment	each (up to 30)

COMMUNE ACCESSORIES

E0160	#Sitz type bath, or equipment, portable, used with or without commode	each (up to 1)
E0167	#Pail or pan for use with commode chair (replacement only)	each (up to 1)
E0275	Bed pan, standard, metal or plastic	each (up to 1)
E0276	#Bed pan, fracture, metal or plastic	each (up to 1)
E0325	#Urinal; male, jug-type, any material	each (up to 1)
E0326	#Urinal; female, jug-type, any material	each (up to 1)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
<u>DIABETIC DIAGNOSTICS</u>		
A4233	#Replacement battery, alkaline (other than j cell), for use with medically necessary home blood glucose monitor owned by patient, each	each (up to 2)
A4234	#Replacement battery, alkaline, j cell, for use with medically necessary home blood glucose monitor owned by patient, each	each (up to 1)
A4235	#Replacement battery, lithium, for use with medically necessary home blood glucose monitor owned by patient, each	each (up to 1)
A4250	Urine test or reagent strips or tablets, (100 tablets or strips)	each (up to 2)
A4252	#Blood ketone test or reagent strip, each	each (up to 100)
A4256	#Normal, low and high calibrator solution/chips	each (up to 1)
<u>E2100</u>	Blood glucose monitor with integrated voice synthesizer	each (up to 1)
A9275	#Home glucose disposable monitor, includes test strips	each (up to 2)

Disposable glucometers are reimbursable when the ordering practitioner documents in the patient's file one of these diagnoses or situations: person newly diagnosed with diabetes, diagnosed with gestational diabetes, diagnosed with Type 2 diabetes, in medical need of a treatment plan change from a traditional to disposable home glucometer, in medical need of an emergency replacement glucometer while awaiting prior approval of a traditional glucometer, or a child who requires testing in school. Disposable glucometers are not reimbursable as a back-up glucometer.

Medicaid payment is only available for either a traditional glucometer or a disposable glucometer. If a disposable glucometer is dispensed, no additional strips are reimbursable.

DIABETIC DAILY CARE

A4206	Syringe with needle, sterile 1cc, each	each (up to 200)
A4207	Syringe with needle, sterile 2cc, each	each (up to 200)
A4208	Syringe with needle, sterile 3cc, each	each (up to 200)
A4209	Syringe with needle, sterile 5cc or greater, each	each (up to 200)
<u>A4211</u>	Supplies for self-administered injections (limited to supplies not otherwise listed)	each
A4213	Syringe, sterile, 20cc or greater, each	each (up to 200)
A4215	Needle, sterile, any size, each	each (up to 200)
A4230	#Infusion set for external insulin pump, non needle cannula type	each (up to 30) (two month supply)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A4231	#Infusion set for external insulin pump, needle type	each (up to 24) (two-month supply)
A4232	#Syringe with needle for external insulin pump, sterile, 3cc	each (up to 30) (two month supply)
A4244	Alcohol or peroxide, per pint	(up to 5)
A4245	Alcohol wipes, per box (100's)	each (up to 5)
A4258	Spring-powered device for lancet, each	each (up to 2)
A4259	Lancets, per box of 100	each (up to 2)
A4657	Syringe with or without needle, each (any size)	each unit (up to 200 units per month)
S5560	#Insulin delivery device, reusable pen; 1.5ml size	up to 1
S5561	#Insulin delivery device, reusable pen; 3ml size	up to 1
S8490	Insulin syringes (100 syringes, any size) (low dose, 0.3cc – 0.5cc)	100's (up to 2)

FAMILY PLANNING PRODUCTS (See Section 4.1)

A4266	Diaphragm for contraceptive use (kit, e.g., All Flex, Coil, Flat Spring)	each (up to 1)
A4267	Contraceptive supply, condom, male, each	each (up to 108)
A4268	Contraceptive supply, condom, female, each	each (up to 108)

GLOVES

Gloves are reimbursable only when medically necessary for use by the beneficiary. Sterile gloves are only reimbursable when medically necessary to perform a sterile procedure. Gloves are not reimbursable as personal protective equipment for employees/caregivers or when included in a kit or tray (e.g., catheter or tracheostomy).

A4927	#Gloves, non-sterile, per 100	100's (up to 1)
A4930	#Gloves, sterile, per pair	pair (up to 30)

HEAT APPLICATION

E0210	#Electric heat pad, standard	each (up to 1)
E0215	#Electric heat pad, moist	each (up to 1)
A9273	Hot water bottle, ice cap, or collar, heat and/or cold wrap, any type	each (up to 1)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
<u>SYNTHETIC SHEEP SKIN AND DECUBITUS CARE</u>		
E0188	Synthetic sheepskin pad	each (up to 1)
E0191	Heel or elbow protector, each	each (up to 5)
<u>MASTECTOMY CARE</u>		
L8000	Breast prosthesis, mastectomy bra	each (up to 5)
L8001	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, unilateral	each (up to 5)
L8002	Breast prosthesis, mastectomy bra, with integrated breast prosthesis form, bilateral	each (up to 5)
L8020	Breast prosthesis, mastectomy form	up to 2 (each side)
L8030	Breast prosthesis, silicone or equal, without integral adhesive	up to 2 (each side)
L8031	Breast prosthesis, silicone or equal, with integral adhesive	up to 2 (each side)
S8460	Camisole, post-mastectomy	each (up to 5)
<u>RESPIRATORY/TRACHEOSTOMY CARE SUPPLIES</u>		
NOTE: Supplies/parts are for patient-owned equipment only		
A4481	#Tracheostoma filter, any type, any size, each (i.e., "artificial nose," heat and moisture exchanger, Thermavent, Humid-vent, Povox stomafilter, Bruce-Foam stomafilter). • If ventilator-dependent, included in the 30 day ventilator rental fee. • Not to be billed in conjunction with E0450, E0461, E0463, or E0464	each (up to 30)
A4605	Tracheal suction catheter, closed system, each (for mechanical ventilation patient)	each (up to 15)
A4614	Peak expiratory flow meter, hand held	each (up to 1)
A4615	Cannula, nasal	each (up to 4)
A4616	Tubing, (oxygen), per foot (for patient owned respiratory equipment)	each (up to 30)
A4619	Face tent	each (up to 4)
A4620	Variable concentration mask	each (up to 4)
A4623	Tracheostomy, inner cannula	each (up to 5)
A4624	Tracheal suction catheter, any type, other than closed system, each (tray)	each (up to 250)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A4625	Tracheostomy care kit for new tracheostomy	each (up to 90)
<p>Consists of all necessary supplies for tracheostomy care. Includes but not limited to: tray, gloves, brush, gauze sponges, gauze tracheostomy dressing, pipe cleaners, cotton tip applicators, 30" twill tape, gauze roll and tracheostomy tube holder.</p>		
A4626	Tracheostomy cleaning brush	each (up to 2)
A4628	Oropharyngeal suction catheter, each (e.g., Yankauer)	each (up to 5)
A4629	Tracheostomy care kit for established tracheostomy	each (up to 90)
<p>Consists of all necessary supplies for tracheostomy care. Includes but not limited to: tray, gloves, brush, gauze sponges, gauze tracheostomy dressing, pipe cleaners, cotton tip applicators, 30" twill tape and tracheostomy tube holder.</p>		
A7000	Canister, disposable, used with suction pump, each	each (up to 5)
A7002	Tubing, used with suction pump, each (suction connection tubes)	each (up to 30)
A7003	Administration kit, with small volume nonfiltered pneumatic nebulizer, disposable	each (up to 2)
A7004	Small volume nonfiltered pneumatic nebulizer, disposable	each (up to 5)
A7005	#Administration set, with small volume non filtered pneumatic nebulizer, non-disposable	each (up to 1)
A7007	Large volume nebulizer, disposable, unfilled, used with aerosol compressor	each (up to 5)
A7013	Filter, disposable, used with aerosol compressor	each (up to 5)
A7014	Filter, non-disposable, used with aerosol compressor or ultrasonic generator	each (up to 1)
A7015	Aerosol mask, used with DME nebulizer	each (up to 1)
A7038	Filter, disposable, used with positive airway pressure device	each (up to 1)
A7039	Filter, nondisposable, used with positive airway pressure device	each (up to 2)
A7523	Tracheostomy shower protector, each	each (up to 1)
A7525	Tracheostomy mask, each	each (up to 4)
E0605	#Vaporizer, room type (coverable for treatment of respiratory illness; warm or cool mist)	each (up to 1)
L8512	Gelatin capsules or equivalent, for use with tracheoesophageal voice prosthesis, replacement only, per 10	each (up to 9)
L8513	Cleaning device used with tracheoesophageal voice prosthesis, pipet, brush, or equal, replacement only, each	each (up to 6)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
S8100	#Holding chamber or spacer for use with an inhaler or nebulizer; without mask	each (up to 2)
S8101	#Holding chamber or spacer for use with an inhaler or nebulizer; with mask	each (up to 2)
<u>S8189</u>	Tracheostomy supply, not otherwise classified	up to 1/month

SUPPORT GOODS

A4463	Surgical dressing holder, reusable, each	each (up to 5)
A4510	#Surgical stockings full length, each (only for treatment of severe varicosities and edema during pregnancy , any compression gradient)	each (up to 2)
A4565	Slings	each (up to 1)
A4570	Splint	each
L0120	Cervical, flexible, non-adjustable (foam collar)	each (up to 1)

THERMOMETERS

A4931	Oral thermometer, reusable, any type, each	each (up to 1)
A4932	Rectal thermometer, reusable, any type, each	each (up to 1)

UNDERPADS/DIAPERS/LINERS

Coverage Criteria:

- Diapers/Liners and underpads are covered for the treatment of incontinence only when the medical need is documented by the ordering practitioner and maintained in the beneficiary's clinical file.

Non-Covered Indications:

- Diapers/Liners will not be covered for children under the age of three as they are needed as part of the developmental process.
- Incontinence liners are not menstrual pads. Personal hygiene products such as menstrual pads are not covered.

General Guidelines:

- The dispenser must maintain documentation of measurements (e.g., waist/hip size, weight) which supports reimbursement for the specific size of diaper/liner dispensed.
- Up to a total of 250 disposable diapers and/or liners are allowed per 30 days, providing for up to 8 changes per day. Claims for any combination of diapers and/or liners over 250 per 30 days will be denied.
- The quantity limits reflect amounts required to meet the medical need for a beneficiary's incontinence treatment plan.

<u>A4335</u>	Incontinence supply; miscellaneous	up to 1/month
A4554	#Disposable underpads, all sizes, (e.g., Chux's)	each (up to 300)
T4521	#Adult sized disposable incontinence product, brief/diaper, small, each (waist/hip 20"-34")	each (up to 250)

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
T4522	#Adult sized disposable incontinence product, brief/diaper, medium, each (waist/hip 28"-47")	each (up to 250)
T4523	#Adult sized disposable incontinence product, brief/diaper, large, each (waist/hip 40"-59")	each (up to 250)
T4524	#Adult sized disposable incontinence product, brief/diaper, extra large, each (waist/hip 60"-62")	each (up to 250)
T4529	#Pediatric sized disposable incontinence product, brief/diaper, small/medium size, each (12-23 lbs)	each (up to 250)
T4530	#Pediatric sized disposable incontinence product, brief/diaper, large size, each (24-35 lbs)	each (up to 250)
T4533	#Youth sized disposable incontinence product, brief/diaper, each (>35 lbs)	each (up to 250)
T4535	#Disposable liner/shield/guard/pad/undergarment, for incontinence, each	each (up to 250)
T4537	#Incontinence product, protective underpad, reusable, bed size, each	each (up to 3)
T4539	#Incontinence product, diaper/brief, reusable, any size, each	each (up to 5)
T4540	#Incontinence product, protective underpad, reusable, chair size, each	each (up to 3)
<u>T4543</u>	Disposable incontinence product, brief/diaper, bariatric, each (waist/hip >62")	each (up to 250)

WOUND DRESSINGS

A6010	#Collagen based wound filler, dry form, per gram of collagen	up to 30
A6011	#Collagen based wound filler, gel/paste, per gram of collagen	up to 30
A6021	#Collagen dressing, pad size 16 sq. in. or less, each	up to 5
A6022	#Collagen dressing, pad size more than 16 sq. in. but less than or equal to 48 sq. in., each	up to 5
A6023	#Collagen dressing, pad size more than 48 sq. in., each	up to 5
A6024	#Collagen dressing wound filler, per 6 inches	up to 3
A6196	Alginate or other fiber gelling dressing, wound cover, pad size 16 sq. in. or less, each dressing	up to 30
A6197	Alginate or other fiber gelling dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., each dressing	up to 30
A6198	Alginate or other fiber gelling dressing, wound cover, pad size more than 48 sq. in., each dressing	up to 15
A6199	Alginate or other fiber gelling dressing, wound filler, per 6 inches	up to 60

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A6203	Composite dressing, pad size 16 sq. in. or less, with any size adhesive border, each dressing	up to 30
A6204	Composite dressing, pad size more than 16 but less than or equal to 48 sq. in., with any size adhesive border, each dressing	up to 30
A6205	Composite dressing, pad size more than 48 sq. in., with any size adhesive border, each dressing	up to 15
A6206	Contact layer, 16 sq. in., or less, each dressing	up to 30
A6207	Contact layer, more than 16 but less than or equal to 48 sq. in., each dressing	up to 30
A6208	Contact layer, more than 48 sq. in., each dressing	up to 15
A6209	Foam dressing, wound cover, pad size 16 sq. in. or less, without adhesive border, each dressing	up to 30
A6210	Foam dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing	up to 30
A6211	Foam dressing, wound cover, pad size more than 48 sq. in., without adhesive border, each dressing	up to 30
A6212	Foam dressing, wound cover, pad size 16 sq. in. or less, with any size adhesive border, each dressing	up to 30
A6213	Foam dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., with any size adhesive border, each dressing	up to 30
A6214	Foam dressing, wound cover, pad size more than 48 sq. in., with any size adhesive border, each dressing	up to 15
A6216	Gauze, non-impregnated, non-sterile, pad size 16 sq. in. or less, without adhesive border, each dressing	up to 120
A6217	Gauze, non-impregnated, non-sterile, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing	up to 120
A6218	Gauze, non-impregnated, non-sterile, pad size more than 48 sq. in., without adhesive border, each dressing	up to 60
A6219	Gauze, non-impregnated, pad size 16 sq. in. or less, with any size adhesive border, each dressing	up to 120
A6220	Gauze, non-impregnated, pad size more than 16 but less than or equal to 48 sq. in., with any size adhesive border, each dressing	up to 30
A6221	Gauze, non-impregnated, pad size more than 48 sq. in., with any size adhesive border, each dressing	up to 15
A6222	Gauze, impregnated, other than water, normal saline, or hydrogel, pad size 16 sq. in. or less, without adhesive border, each dressing	up to 30

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A6223	Gauze, impregnated, other than water, normal saline, or hydrogel, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing	up to 60
A6224	Gauze, impregnated, other than water, normal saline, or hydrogel, pad size more than 48 sq. in., without adhesive border, each dressing	up to 15
A6228	Gauze, impregnated, water or normal saline, pad size 16 sq. in. or less, without adhesive border, each dressing	up to 30
A6229	Gauze, impregnated, water or normal saline, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing	up to 30
A6230	Gauze, impregnated, water or normal saline, pad size more than 48 sq. in., without adhesive border, each dressing	up to 30
A6231	Gauze, impregnated, hydrogel, for direct wound contact, pad size 16 sq. in. or less, each dressing	up to 30
A6232	Gauze, impregnated, hydrogel, for direct wound contact, pad size greater than 16 sq. in. but less than or equal to 48 sq. in., each dressing	up to 30
A6233	Gauze, impregnated, hydrogel, for direct wound contact, pad size more than 48 sq. in., each dressing	up to 30
A6234	Hydrocolloid dressing, wound cover pad size 16 sq. in. or less, without adhesive border, each dressing	up to 30
A6235	Hydrocolloid dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in. without adhesive border, each dressing	up to 30
A6236	Hydrocolloid dressing, wound cover, pad size more than 48 sq. in., without adhesive border, each dressing	up to 30
A6237	Hydrocolloid dressing, wound cover, pad size 16 sq. in. or less, with any size adhesive border, each dressing	up to 30
A6238	Hydrocolloid dressing, wo, pad size more than 16 but less than or equal to 48 und coversq. in. with any size adhesive border, each dressing	up to 30
A6239	Hydrocolloid dressing, wound cover, pad size more than 48 sq. in., with any size adhesive border, each dressing	up to 30
A6240	Hydrocolloid dressing, wound filler, paste, per fluid ounce	up to 20
A6241	Hydrocolloid dressing, wound filler, dry form, per gram	up to 25
A6242	Hydrogel dressing, wound cover, pad size 16 sq. in. or less, without adhesive border, each dressing	up to 30
A6243	Hydrogel dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing	up to 30

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A6244	Hydrogel dressing, wound cover, pad size more than 48 sq. in., without adhesive border, each dressing	up to 30
A6245	Hydrogel dressing, wound cover, pad size 16 sq. in. or less, with any size adhesive border, each dressing	up to 30
A6246	Hydrogel dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., with any size adhesive border, each dressing	up to 30
A6247	Hydrogel dressing, wound cover, pad size more than 48 sq. in., with any size adhesive border, each dressing	up to 30
A6248	Hydrogel dressing, wound filler, gel, per fluid ounce	up to 30
A6251	Specialty absorptive dressing, wound cover, pad size 16 sq. in. or less, without adhesive border, each dressing	up to 30
A6252	Specialty absorptive dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing	up to 30
A6253	Specialty absorptive dressing wound cover, pad size more than 48 sq. in., without adhesive border, each dressing	up to 30
A6254	Specialty absorptive dressing, wound cover, pad size 16 sq. in. or less, with any size adhesive border, each dressing	up to 30
A6255	Specialty absorptive dressing, wound cover, pad size more than 16 but less than or equal to 48 sq. in., with any size adhesive border, each dressing	up to 30
A6256	Specialty absorptive dressing, wound cover, pad size more than 48 sq. in., with any size adhesive border, each dressing	up to 30
A6257	Transparent film, 16 sq. in. or less, each dressing	up to 30
A6258	Transparent film, more than 16 but less than or equal to 48 sq. in., each dressing	up to 30
A6259	Transparent film, more than 48 sq. in., each dressing	up to 30
<u>A6261</u>	Wound filler, gel/paste, per fluid ounce, not elsewhere classified	up to 30
<u>A6262</u>	Wound filler, dry form, per gram, not elsewhere classified	up to 30
A6266	Gauze, impregnated, other than water, normal saline, or zinc paste, any width, per linear yard	up to 30
A6402	Gauze, non-impregnated, sterile, pad size 16 sq. in. or less without adhesive border, each dressing	up to 180
A6403	Gauze, non-impregnated, sterile, pad size more than 16 but less than or equal to 48 sq. in., without adhesive border, each dressing	up to 120

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A6404	Gauze, non-impregnated, sterile, pad size more than 48 sq. in., without adhesive border, each dressing	up to 30
A6407	Packing strips, non-impregnated, up to two inches in width, per linear yard	up to 30
A6410	Eye pad, sterile, each	up to 50
A6411	Eye pad, non-sterile, each	up to 50
A6412	Eye patch, occlusive, each	up to 30
A6441	Padding bandage, non-elastic, non-woven/non-knitted, width greater than or equal to three inches and less than five inches, per yard	up to 30
A6442	Conforming bandage, non-elastic, knitted/woven, non-sterile, width less than three inches, per yard	up to 120
A6443	Conforming bandage, non-elastic, knitted/woven, non-sterile, width greater than or equal to three inches and less than five inches, per yard	up to 120
A6444	Conforming bandage, non-elastic, knitted/woven, non-sterile, width greater than or equal to five inches, per yard	up to 120
A6445	Conforming bandage, non-elastic, knitted/woven, sterile, width less than three inches, per yard	up to 120
A6446	Conforming bandage, non-elastic, knitted/woven, sterile, width greater than or equal to three inches and less than five inches, per yard	up to 120
A6447	Conforming bandage, non-elastic, knitted/woven, sterile, width greater than or equal to five inches, per yard	up to 120
A6448	Light compression bandage, elastic, knitted/ woven, width less than three inches, per yard	up to 90
A6449	Light compression bandage, elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	up to 90
A6450	Light compression bandage, elastic, knitted/ woven, width greater than or equal to five inches, per yard	up to 90
A6451	Moderate compression bandage, elastic, knitted/ woven, load resistance of 1.25 to 1.34 foot pounds at 50 percent maximum stretch, width greater than or equal to three inches and less than five inches, per yard	up to 90
A6452	High compression bandage, elastic, knitted/woven load resistance greater than or equal to 1.35 foot pounds at 50 percent maximum stretch, width greater than or equal to three inches and less than five inches, per yard	up to 15

Pharmacy Procedure Codes

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
A6453	Self-adherent bandage, elastic, non-knitted/non-woven, width less than three inches, per yard	up to 30
A6454	Self-adherent bandage, elastic, non-knitted/non-woven, width greater than or equal to three inches and less than five inches, per yard	up to 30
A6455	Self-adherent bandage, elastic, non-knitted/non-woven, width greater than or equal to five inches, per yard	up to 30
A6456	Zinc impregnated bandage, non-elastic, knitted/woven, width greater than or equal to three inches and less than five inches, per yard	up to 24
<u>A6457</u>	Tubular dressing with or without elastic, any width, per linear yard	up to 25

VARIOUS MISCELLANEOUS

A4216	Sterile water, saline, and/or dextrose (diluent), 10ml	up to 120
A4217	Sterile water/saline, 500ml	up to 10
A4221	#Supplies for maintenance of drug infusion catheter, per week (list drug separately) (Bill 1 occurrence every 30 days) •Use for all supplies necessary for maintenance of drug infusion catheters and external pumps, and/or supplies necessary for the administration of drugs (except insulin) not otherwise listed in the fee schedule.	each unit (up to 200 units per 30 days)

Use for all supplies necessary for maintenance of drug infusion catheters and external pumps, and/or supplies necessary for the administration of drugs (except insulin) not otherwise listed in the fee schedule.

A4657	Syringe with or without needle, each (any size)	each unit (up to 200 units per month)
<u>A4305</u>	Disposable drug delivery system, flow rate of 50ml or greater per hour	once/month
<u>A4306</u>	Disposable drug delivery system, flow rate of less than 50 ml per hour	once/month
<u>A4649</u>	Surgical supply; miscellaneous	once/month
A4660	#Sphygmomanometer/blood pressure apparatus with cuff and stethoscope, kit, any type	up to 1

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
<u>A4670</u>	<p>Automatic blood pressure monitor (semi automatic (\$31.00) or fully automatic (\$65.00)) Semi automatic – Hand cuff inflation (contraction of bulb). <u>Coverage Criteria:</u></p> <ul style="list-style-type: none"> • The device is ordered by a qualified practitioner as part of a comprehensive treatment plan for beneficiary monitoring and recording in the home. • The beneficiary has a hearing or visual impairment, and/or • The beneficiary could not be taught to use a manual monitor due to low literacy skills or a learning impairment. <p>Fully automatic - Push button operation. <u>Coverage Criteria:</u></p> <ul style="list-style-type: none"> • The beneficiary meets criteria for semi-automatic and • The beneficiary has arthritis or other motor disorders involving the upper extremities. 	one
<u>A9999</u>	Miscellaneous DME supply or accessory, not otherwise specified	once/month
E0710	Restraints, any type (body, chest, wrist or ankle)	each (up to 4)
K0552	#Supplies for external drug infusion pump, syringe type cartridge, sterile, each	up to 30
<u>T5999</u>	<p>Supply, not otherwise specified (limited to the following previously state-defined codes):</p> <p>Plastic strips</p> <p>Basal thermometer</p> <p>Sterile 6” wood applicator w/cotton tips</p> <p>Incentive spirometer</p> <p>Nasal aspirator</p>	<p>50’s (up to 5)</p> <p>each (up to 1)</p> <p>100’s (up to 1)</p> <p>each (up to 1)</p> <p>each (up to 1)</p>
<u>S5001</u>	Prescription Drug, brand name	Pharmacy PA

<u>CODE</u>	<u>DESCRIPTION</u>	<u>QUANTITY</u>
<u>4.4 HEARING AID BATTERY</u>		
L8621	Zinc air battery for use with cochlear implant device, replacement, each	each (up to 60)
V5266	Battery for use in hearing device (any type) (up to a two-month supply may be dispensed on one date of service)	each (up to 24)

NOTE: To be priced by the State on a periodic basis at retail less 20 percent. When billing for batteries on the claim form the "Quantity Dispensed" field refers to the individual number of batteries dispensed not number of packages dispensed.

4.5 COMPOUNDED PRESCRIPTIONS

Claims for compounded prescriptions must be submitted using one of the following two options that became effective February 18, 2004. Reconstitution of a commercially available product is not considered compounding.

A compound is considered reimbursable only when the compound includes:

- A combination of any two or more legend drugs found on the List of Medicaid Reimbursable Drugs; or
- A combination of any legend drug(s) included on the List of Medicaid Reimbursable drugs and any other item(s) not commercially available as an ethical or proprietary product, or
- A combination of two or more products which are labeled: "Caution: For Manufacturing Purpose only."

Option 1 – Billing for Individual Components by NDC Number using NCPDP 3.2 or 5.1

- This option must be used when billing compounded controlled substances to comply with the Bureau of Controlled Substances standards.
- Submit claims for compounded prescriptions using the NDC code for each ingredient. These claims are eligible for the Electronic Claim Capture (ECC) option when submitted through the NCPDP format.
- Each ingredient must have a unique prescription number.
- For on-line submitted claims, NCPDP Compound Code Field (406-D6) must contain a value of 1.
- Each drug ingredient payable by New York Medicaid will be reimbursed at AWP-12% plus a dispensing fee: \$3.50 (if a brand drug) or \$4.50 (if a generic drug).
- Payment will only be made for NDCs covered on the List of Medicaid Reimbursable Drugs.

OR

Option 2 — Billing for a Compound as a Single Entity using NCPDP 5.1

- The entire prescription must have one unique prescription number.
- For on-line claims capture, Compound Code Field (406-D6) must contain a value of 1.
- In the Product Service ID Field (407-D7), enter NDC Code using all "9's".
- In the Product/Service ID Qualifier Field (436-E1) a value of 03 must be entered.
- A value of 1 must be entered in the Quantity Field.
- Reimbursement for each compound prescription billed using Option 2 is restricted to the usual and customary price charged to the general public for the total sum of the ingredients, up to the maximum reimbursable amount (MRA) for this option (\$50.00), plus a dispensing fee of \$3.50 and a compounding fee of \$0.75.
- There is no co-payment assessed using this option.
- The pharmacy must retain the prescription and documentation of ingredients, amounts and costs.

4.6 PHARMACISTS AS IMMUNIZERS

The administration of select vaccines by qualified pharmacists employed by, or under contract with, Medicaid enrolled pharmacies is reimbursable under NYS Medicaid. Administration of vaccines is conducted pursuant to NYS Education Law and regulations (8NYCRR63.9) which permits licensed pharmacists who obtain additional certification to administer influenza and pneumococcal vaccinations to adults 18 years of age and older.

Reimbursement is based on a patient specific or non-patient specific order. These orders must be kept on file at the pharmacy. The ordering prescriber's NPI is required on the claim for the claim to be paid.

Pharmacies must bill the administration and cost of the vaccine using the following **procedure codes**. NDCs are not to be used to bill the vaccine product. Reimbursement for the product is made at no more than the *actual* acquisition cost to the pharmacy. No dispensing fee or enrollee co-payment applies. Pharmacies must bill with a quantity of "1" and a day supply of "1".

90473	Administration of seasonal influenza intranasal vaccine
90656+	Seasonal Influenza virus vaccine, preservative free, for intramuscular use
90658+	Seasonal Influenza virus vaccine, for intramuscular use
90660+	Seasonal Influenza, live, for intranasal use
90732+	Pneumococcal vaccine, for intramuscular use
G0008	Administration of seasonal influenza virus vaccine, intramuscular use
G0009	Administration of pneumococcal vaccine

+The maximum fees for these drugs are adjusted periodically by the State to reflect the estimated acquisition cost. Insert acquisition cost per dose in amount charged field on claim form.

~The H1N1 vaccine is being provided free by the Centers for Disease Control and Prevention. Therefore, while administration of the H1N1 vaccine is reimbursable by Medicaid, the vaccine product itself is not.